

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/313439762>

# Basic Relationship Formulation of the Sundatang Physical Characteristics

Article · June 2016

CITATIONS

4

READS

53

2 authors:



**Ronald Yusri Batahong**

Institut Pendidikan Guru Kampus Kent, Tuaran, Sabah

21 PUBLICATIONS 19 CITATIONS

[SEE PROFILE](#)

**Jedol Dayou**

Universiti Malaysia Sabah (UMS)

157 PUBLICATIONS 801 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Multidisciplinary research [View project](#)



2nd International Congress on Science & Technology 2018 (ICST 2), 6 - 8 December 2018 Phuket, Thailand [View project](#)

# Basic Relationship Formulation of the Sundatang Physical Characteristics

Ronald Yusri Batahong<sup>1\*</sup> & Jedol Dayou<sup>2</sup>

<sup>1</sup>Department of Science and Mathematics, Institut Pendidikan Guru Kampus Keningau, Locked Bag 11, 89009 Keningau, Sabah, MALAYSIA.

<sup>2</sup>Energy, Vibration and Sound Research Group (e-VIBS), Faculty of Science and Natural Resources, Universiti Malaysia Sabah, Jalan UMS, 88400 Kota Kinabalu, Sabah, MALAYSIA.

\*Corresponding author. E-Mail: ronald@ipks.edu.my; Tel: +60-87-331444; Fax: +60-87-331817.

Received: 20 March 2016

Revised: 31 March 2016

Accepted: 7 April 2016

In press: 18 May 2016

Online: 30 June 2016

## Keywords:

Traditional musical instrument; Sundatang; Physical dimension; Physical characteristics; Fret

## Abstract

Sundatang is one of the traditional musical instruments which were made based from natural resources in the land of Sabah. The instrument which belongs to the Kadazan, Dusun and Rungus communities ought to be conserved and upgraded to make it popular and well-accepted among the new generation in this state and generally throughout the world. The purpose of this study was to formulate the basic relationship of the physical characteristics of sundatang. To achieve this, several important dimensions were measured from four units of sundatangs. The measured physical characteristics were scrutinized, analyzed and compared to obtain general physical characteristics of sundatang. Four basic relationship equations of the physical characteristics were formulated which are related to the length of sundatang, distance of frets, height of frets and width of sundatang. The formulated equations can be used to calculate the intended physical dimensions in the making process of sundatang. It is also very important to the advancement of construction technique study of sundatang in future.


© Transactions on Science and Technology 2016

## Introduction

Sabah is the second largest state in Malaysia which richly blessed with natural diversity and unique heritages. One of the heritage products which based on flora and fauna resources in this state is sundatang. The sundatang is a traditional musical instrument among the Kadazan, Dusun and Rungus communities in Sabah (Alman, 1961; Liew, 1962; Frame, 1975; 1976; Pugh-Kitingan, 1987; 1992; 2003; 2004). This instrument has the basic shape of guitars with two metal strings as shown in Figure 1 (anatomy of sundatang) and Figure 2 (photo of sundatangs). The body of sundatang was made of vitex or acacia wood, and its frets were made of metal and fixed on the top plate and neck of sundatang using bee wax. The vitex and acacia woods and bee wax are widely available in Sabah secondary forest. Nowadays, sundatang is likely to disappear among the people in Sabah, overridden by popularity of the modern musical instruments such as guitar, violin, piano and etc. This instrument ought to be conserved and upgraded to make it popular and well-accepted among the new generation in this state and generally throughout the world.

Since in the new millennium, researches on traditional musical instruments in Sabah, Malaysia were started to focus on the scientific studies as reported by Ong and Dayou (2009), Wong *et al.* (2013a) and Wong *et al.* (2013b) for sompoton, Ismail *et al.* (2006) for kompang, Batahong and Dayou (2003a; 2003b), Batahong *et al.* (2003) and Batahong and Dayou (2002) for kulintangan, and

Batahong, *et al.* (2014a; 2014b) and Batahong and Dayou (2016) for sundatang musical instrument. Study of the vibrational properties of sundatang soundboard in clamped edge and free edge was reported by Batahong *et al.* (2014a), making technique by Batahong *et al.* (2014b), and effect of frets to the instrument sound frequency by Batahong and Dayou (2016). Thus, as an additional research on sundatang, the goal of this study was to formulate the basic relationship of the physical characteristics of sundatang. To achieve this goal, physical dimensions of sundatang were investigated.



**Figure 1.** Anatomy of sundatang




**Figure 2.** Photo of sundatang A, B, C and D.

As explained by Batahong *et al.* (2014b), the traditional sundatang was made without using modern equipments and written reference of dimensions standard. The formation of sundatang is affected by the maker's instinct, past experience and imitation at ready-made sundatang. Hence, different sets of sundatangs show variety of features. However, there are some patterns observed in its physical characteristics. This study was conducted to discover these patterns and reveal that the traditional making technique also able to produce musical instruments with its own standard. The formulated equations are very important as a tool to the advancement making technique study of sundatang in future. The equations can be used to calculate the important dimensions of sundatang.

### Materials and methods

Study of physical properties was conducted on four units of sundatangs which were made by Mr. Boginda Mokilin, a well-known sundatang maker and player from Kampong Tinangol, Kudat, Sabah as shown in Figure 2. The sundatangs were labeled as sundatang A (acacia wood) and B (acacia wood) and C (vitex wood) and D (vitex wood). In this study, thirty four important physical dimensions of the sundatang body were measured (Figure 3) and analyzed.



**Figure 3:** Measured dimensions of different part of the sundatang.

### Results and discussion

The results show that twenty four of the physical dimensions are very close to each other with SD is in the range of 0 cm to 1 cm, and another ten physical dimensions is in the range of 1 cm to 4.65 cm. The ten physical dimensions consists of the total length,  $L$ , length of body,  $l_{body}$ , length of tail,  $l_t$ , distance of sound holes and bridge,  $l_{SB}$ , length of neck,  $l_N$ , length of head,  $l_H$ , distance of bridge and fret,  $l_{BF}$ , width 1,  $w_1$ , width 2,  $w_2$  and width 3,  $w_3$  as shown in Table 1. The total length,  $L$  and width 2,  $w_2$  of the sundatang are having a greater SD, this is may be because of these dimensions are depend to the original length and width of the wooden block as a main material of construction.

**Table 1.** Measured physical dimensions of the sundatang A, B, C and D.

No.	Dimensions	Set of sundatang				Average	Standard Deviation
		A ( $\pm 0.1\text{cm}$ )	B ( $\pm 0.1\text{cm}$ )	C ( $\pm 0.1\text{cm}$ )	D ( $\pm 0.1\text{cm}$ )		
1	Total length, $L$	109.0	104.0	103.0	113.0	107.25	4.65
2	length of body, $l_{body}$	50.0	45.3	43.6	47.0	46.48	2.73
3	length of bridge, $l_B$	22.1	23.3	21.5	23.5	22.60	0.96
4	length of tail, $l_t$	4.0	5.6	3.2	4.7	4.38	1.02
5	distance of sound hole and bridge, $l_{SB}$	3.2	2.4	3.9	5.2	3.68	1.19
6	distance between two sound holes, $d_s$	2.3	1.8	1.9	1.7	1.93	0.26
7	length of neck, $l_N$	39.6	36.4	38.0	39.5	38.38	1.51
8	length of head, $l_H$	20.0	17.1	17.9	22.4	19.35	2.37
9	distance from 1 <sup>st</sup> to 2 <sup>nd</sup> fret, $l_{F_{1-2}}$	4.1	4.0	3.9	3.5	4.05	0.45
10	distance from 2 <sup>nd</sup> to 3 <sup>rd</sup> fret, $l_{F_{2-3}}$	3.8	3.5	3.1	3.6	3.50	0.29
11	distance from 3 <sup>rd</sup> to 4 <sup>th</sup> fret, $l_{F_{3-4}}$	4.2	4.3	4.1	4.3	4.20	0.12
12	distance from 4 <sup>th</sup> to 5 <sup>th</sup> fret, $l_{F_{4-5}}$	3.0	3.6	3.3	2.9	3.18	0.28
13	distance from 5 <sup>th</sup> to 6 <sup>th</sup> fret, $l_{F_{5-6}}$	2.7	2.9	2.9	2.7	2.80	0.12
14	distance from 1 <sup>st</sup> to 6 <sup>th</sup> fret, $l_F$	17.7	18.2	18.0	17.0	17.73	0.53
15	distance of bridge and fret, $l_{BF}$	17.6	15.8	15.7	17.5	16.65	1.04
16	height of ribs, $h_R$	3.8	4.7	4.0	4.5	4.25	0.42
17	length of tuning peg, $l_{TPeg}$	7.2	7.4	7.4	8.8	7.70	0.74
18	width of neck, $w_n$	2.0	1.9	1.9	1.9	1.93	0.05
19	height of neck, $h_n$	1.9	1.6	1.9	2.0	1.85	0.17
20	height of bridge, $h_B$	1.9	1.8	1.8	1.8	1.83	0.05
21	height of 1 <sup>st</sup> fret, $h_{F1}$	1.9	1.9	2.6	2.2	2.15	0.40
22	height of 2 <sup>nd</sup> fret, $h_{F2}$	1.8	1.8	2.5	2.0	2.03	0.40
23	height of 3 <sup>rd</sup> fret, $h_{F3}$	1.7	1.7	2.3	1.9	1.90	0.35
24	height of 4 <sup>th</sup> fret, $h_{F4}$	1.6	1.6	2.1	1.8	1.78	0.29
25	height of 5 <sup>th</sup> fret, $h_{F5}$	1.5	1.5	1.9	1.7	1.63	0.23
26	height of 6 <sup>th</sup> fret, $h_{F6}$	1.4	1.4	1.8	1.6	1.55	0.23
27	height of head, $h_H$	5.5	6.0	5.6	6.5	5.90	0.45
28	height of string, $h_{string}$	2.0	1.9	2.4	2.5	2.20	0.29
29	width 1, $w_1$	15.4	11.9	14.0	16.0	14.33	1.82
30	width 2, $w_2$	18.0	13.9	18.0	19.0	17.23	2.27
31	width 3, $w_3$	9.9	7.8	9.0	10.4	9.28	1.14
32	diameter of back plate sound hole, $d_{bs}$	2.0	2.0	2.0	2.0	2.00	0.00
33	thickness of ribs, $r_{ribs}$	0.4	0.5	0.4	0.4	0.43	0.05
34	thickness of back plate, $t_{bp}$	0.4	0.4	0.4	0.4	0.40	0.00

*Length of sundatang*

By referring to the measurement values of the length of tail,  $l_t$ , length of body,  $l_{body}$ , length of neck,  $l_N$  and length of head,  $l_H$  of the four units of sundatangs in Table 1. Obtained that the total length of the sundatang,  $L$  can be written in a mathematical expressions as

$$L = l_t + l_{body} + l_N + l_H. \quad (1)$$

Ratio of the length of tail, length of body, length of neck and length of head to the total length of each unit of sundatang were calculated as shown in Table 2. It shows that the ratio values for each of the sundatang are closer to each other. In the other word, the sundatangs have an approximately ratio of the length of tail, length of body, length of neck and length of head to the total length. If average of the ratio values is calculated as written in sixth column in Table 2, average relationship of the length of tail, length of body, length of neck and length of head to the total length of the sundatangs, separately, can be expressed mathematically as

$$l_t = 0.04L, \quad (2)$$

$$l_{body} = 0.43L, \quad (3)$$

$$l_N = 0.35L \quad (4)$$

and

$$l_H = 0.18L, \quad (5)$$

respectively. These equations can be used to determine length of tail, body, neck and head of sundatang from the available total length,  $L$  in the early stage of sundatang construction which is forming the basic shape of sundatang.

**Table 2.** Ratio of length of tail, body and neck to the total length of sundatang.

Ratio	Sundatang				average
	A	B	C	D	
Length of tail to total length, $l_t/L$	0.04	0.05	0.04	0.04	0.04
Length of body to total length, $l_{body}/L$	0.46	0.44	0.42	0.42	0.43
Length of neck to total length, $l_N/L$	0.32	0.35	0.37	0.35	0.35
Length of head to total length, $l_H/L$	0.18	0.16	0.17	0.20	0.18

*Distance of frets*

From the row 9<sup>th</sup> to 13<sup>th</sup> in Table 1 is written the values of the distance between every two nearest frets, whereas, in row 14<sup>th</sup> in the table is written the distance of the 1<sup>st</sup> fret to the 6<sup>th</sup> fret of the four units of sundatangs. Sum of the distance from the 1<sup>st</sup> fret to 2<sup>nd</sup> fret,  $l_{F_{1-2}}$ , 2<sup>nd</sup> fret to 3<sup>rd</sup> fret,  $l_{F_{2-3}}$ , 3<sup>rd</sup> fret to 4<sup>th</sup> fret,  $l_{F_{3-4}}$ , 4<sup>th</sup> fret to 5<sup>th</sup> fret,  $l_{F_{4-5}}$  and 5<sup>th</sup> fret to 6<sup>th</sup> fret,  $l_{F_{5-6}}$  is equal to the distance from the 1<sup>st</sup> fret to the 6<sup>th</sup> fret,  $l_F$ . Mathematically, this summation can be expressed as

$$l_F = l_{F_{1-2}} + l_{F_{2-3}} + l_{F_{3-4}} + l_{F_{4-5}} + l_{F_{5-6}}. \quad (6)$$

In order to obtain the ratio relationship between the distance of every two nearest frets with the distance of the 1<sup>st</sup> fret and 6<sup>th</sup> fret, first, their ratio values and average ratio values were calculated as written in Table 3, and using the average ratio values, the relationship can be expressed as

$$l_{F_{1-2}} = 0.23l_F, \quad (7)$$

$$l_{F_{2-3}} = 0.20l_F, \quad (8)$$

$$l_{F_{3-4}} = 0.24l_F, \quad (9)$$

$$l_{F_{4-5}} = 0.18l_F, \quad (10)$$

and

$$l_{F_{5-6}} = 0.16l_F. \quad (11)$$

These equations can be used to determine the distance between frets in the frets installation process of sundatang. It also allows a linearly modification to the distance of frets if needed.

**Table 3.** Ratio of the distance between two nearest frets and distance from the first fret to the sixth fret.

Ratio	Sundatang				average
	A	B	C	D	
$l_{F_{1-2}}/l_F$	0.23	0.22	0.26	0.21	0.23
$l_{F_{2-3}}/l_F$	0.21	0.19	0.17	0.21	0.20
$l_{F_{3-4}}/l_F$	0.23	0.24	0.23	0.25	0.24
$l_{F_{4-5}}/l_F$	0.17	0.19	0.18	0.17	0.18
$l_{F_{5-6}}/l_F$	0.15	0.16	0.16	0.16	0.16
	Total				1.00

#### Height of frets

Measurement values of the height of frets for the four units of sundatangs are shown in the row 21<sup>st</sup> to 26<sup>th</sup> in the Table 1. From the table, if the height of fret versus fret number is plotted for every sundatangs as shown in Figure 4, equations below are obtained.

$$\text{Sundatang A: } h = -0.1n + 2 \quad (12)$$

$$\text{Sundatang B: } h = -0.045n + 1.86 \quad (13)$$


$$\text{Sundatang C: } h = -0.17n + 2.8 \quad (14)$$

$$\text{Sundatang D: } h = -0.114n + 2.266 \quad (15)$$

The equations explain that the height of fret decreased when the number of fret increased. On the other hand, height difference between two nearest frets was analyzed and shown in Table 4. From the table, the average difference between two nearest frets is  $\approx 0.1$  cm. It means that, the height of fret decreased  $\approx 0.1$  cm when the fret number is increased of 1. This finding is very important as a reference in the making of the frets of sundatang.

*Width of sundatang*

The widths of sundatang were measured at three positions as labeled in Figure 1. Width 1,  $w_1$  is near the tail, width 2,  $w_2$  is at the centre of body of sundatang and width 3,  $w_3$  is at the end of body of sundatang. As written in Table 1, it shows that every sundatang has different widths values. According to the sundatang maker, the widths of sundatang, especially the width 2 depends on the original width of the wooden block as a material of construction. Ratio of the  $w_1 / w_2$  and  $w_3 / w_2$  for the all sundatangs used in this study was calculated as shown in Table 5. And, ratio of the  $w_1 / w_3$  was calculated as written in Table 6. From the Table 5, it was found that only three of the sundatangs (A, B and D) have a closer ratio value of the  $w_1 / w_2$  and  $w_3 / w_2$ . However, it was also found that the all four units of sundatangs have a closer value of the  $w_1 / w_3$  as shown in Table 6. Hence, it can be concluded that values of  $w_1 / w_3$  for the all four units of sundatangs are almost equal, means the width 1,  $w_1$  and width 3,  $w_3$  of sundatang are fix value, whereas, the width 2,  $w_2$  can be changed.



**Figure 4.** Graph of the height of frets of the four units of sundatang.

**Table 4.** Height difference of frets.

Height difference	Sundatang (cm)				Average difference
	A	B	C	D	
1 <sup>st</sup> and 2 <sup>nd</sup> frets	0.1	0.1	0.1	0.2	0.13
2 <sup>nd</sup> and 3 <sup>rd</sup> frets	0.1	0.1	0.2	0.1	0.13
3 <sup>rd</sup> and 4 <sup>th</sup> frets	0.1	0.1	0.2	0.1	0.13
4 <sup>th</sup> and 5 <sup>th</sup> frets	0.1	0.1	0.2	0.1	0.13
6 <sup>th</sup> and 7 <sup>th</sup> frets	0.1	0.1	0.1	0.1	0.10



**Table 5.** Ratio of width of sundatang

Ratio	Sundatang (cm)			
	A	B	C	D
$w_1/w_2$	0.86	0.86	0.78	0.84
$w_3/w_2$	0.55	0.56	0.50	0.55

**Table 6.** Ratio of  $\frac{w_1}{w_3}$ .

Ratio	Sundatang (cm)			
	A	B	C	D
$\frac{w_1}{w_2} \div \frac{w_3}{w_2} = \frac{w_1}{w_3}$	1.56	1.54	1.56	1.53

### Conclusion

The basics relationship between physical dimensions of sundatang has been investigated. It was found that basically the four units of sundatangs used in this investigation were different in measurement parameters, especially the total length and widths of the instruments body, except two parameters which are the diameter of sound hole at the back plate and the thickness of back plate, which were equal. Even though the sundatangs vary in most of the physical dimensions, sound from this instrument still can be tuned to their similar musical pitches. This can be achieved through the distance between frets where the ratio between the two nearest frets is quite closed in all sets of sundatangs. In addition, it was found that although all dimensions might be varied between sundatang, the ratio between the width of the bottom and the upper part of the sundatang's sound boards should be made constant. The formulated equation of the total length, distance of frets, height of frets and width ratio is seen to be very important in the construction of sundatang, especially for the new sundatang maker.

### References

- [1] Alman, J. H. (1961). If You Can't Sing, You Can Beat a Gong. *Sabah Society Journal*, 2, 29-42.
- [2] Batahong, R. Y. & Dayou, J. (2003a). Mathematical model for predicting the frequency of sound from kulintangan [in Malay]. *Proceedings of the Eleventh National Symposium on Mathematical Science*. 22-24 December 2003, Kota Kinabalu, Sabah, Malaysia.
- [3] Batahong, R. Y. & Dayou, J. (2003b). Visualizing the Vibrational Modes of The Kulintangan. *Presented at National Postgraduate Seminar*. 18-19 Mac 2003, UMS, Kota Kinabalu, Sabah.
- [4] Batahong, R. Y., Ong C. W. & Dayou, J. (2003). Accuracy, precision and sensitivity of sound frequency measurement using Matlab software [In Malay]. *Technical Report*, LT/SST-UMS/2003/011. UMS.
- [5] Batahong, R.Y. & Dayou, J. (2002). The Making of Kulintangan Musical Instrument in Kudat, Sabah [in Malay]. *Borneo Research Council Seventh Biennial International Conference*. 15-18 July 2002, UMS, Kota Kinabalu, Sabah.
- [6] Batahong, R. Y., Dayou, J., Wang, S. & Lee, J. (2014a). Vibrational Properties of sundatang soundboard. *Archives of Acoustics*, 39(2), 177-187.
- [7] Batahong, R. Y., Dayou, J. & Romut, J. (2014b). Traditional Construction Technique of Sundatang. *12<sup>th</sup> International Borneo Research Council Conference*. 5-7 August 2014, UMS, Kota Kinabalu, Sabah.
- [8] Batahong, R. Y. & Dayou, J. (2016). Effect of Frets to the Sound Frequency of Sundatang. *Jurnal Teknologi*, 78(2), 127-134.

- [9] Frame, E. M. (1975). A Preliminary Survey of Several Major Musical Instruments and Form-Types of Sabah, Malaysia. *Borneo Research Bulletin*, 7(1), 16-24.
- [10] Frame, E.M. (1976). Several Major Musical Instruments of Sabah, Malaysia. *Journal of the Malaysian Branch of the Royal Asiatic Society*, Vol. XLIX Part 2.
- [11] Ismail, A., Samad, S. A., Hussain, A., Azhari, C. H. & Zainal, M. R. M. (2006). Analysis of the Sound of the Kompang for Computer Music Synthesis. *4<sup>th</sup> Student Conference on Research and Development (SCOReD 2006)*, IEEE, Malaysia.
- [12] Liew, R. (1962). Music and Musical Instruments in Borneo. *Borneo Society Journal*, 5, 10-17.
- [13] Ong, C. W. & Dayou, J. (2009). Frequency Characteristic of Sound from Sompoton Musical Instrument. *Borneo Science*, 25(September), 71-79.
- [14] Pugh-Kitingan, J. (1987). *A Brief Introduction to Sabah's Cultures and Music*. Kota Kinabalu: Cultural Board of Sabah.
- [15] Pugh-Kitingan, J. (1992). Musical Instruments in the Cultural Heritage of Sabah. *Borneo Research Council Second Biennial International Conference*. 1992, Kota Kinabalu, Sabah.
- [16] Pugh-Kitingan, J. (2003). *Alat Muzik dan Instrumental Kadazandusun Tambunan*. Kota Kinabalu: Cultural and Arts State of Sabah.
- [17] Pugh-Kitingan, J. (2004). *Selected Papers on Music in Sabah*. Kota Kinabalu: Universiti Malaysia Sabah.
- [18] Wong, T. H., Dayou, J., Ngu, M.C.D., Chang, J.H.W. & Liew, W.Y.H. (2013a). Clamped Bar Model for Sompoton Vibrator. *Archives of Acoustics*, 38(3), 425-432.
- [19] Wong, T. H., T. H., Dayou, J., Ngu, M. C. D., Chang, J. H. W. & Liew, W. Y. H. (2013b). Analysis of Vibrator for Sompoton Using Cantilever Beam Model. *Borneo Science*, 32(March), 13-19.