

**IMMUNOMODULATING PROPERTIES OF  
SABAH SEAWEEDS *KAPPAPHYCUS STRIATUS*  
AND *EUCHEUMA DENTICULATUM***

**PAN SHING YI**

PERPUSTAKAAN  
UNIVERSITI MALAYSIA SABAH

**THESIS SUBMITTED IN FULFILLMENT FOR  
THE DEGREE OF DOCTOR OF PHILOSOPHY**

**FACULTY OF SCIENCE AND NATURAL  
RESOURCES  
UNIVERSITI MALAYSIA SABAH  
2016**



**UMS**

# UNIVERSITI MALAYSIA SABAH

## BORANG PENGESAHAN STATUS TESIS

JUDUL : **Immunomodulating properties of Sabah seaweeds  
*Kappaphycus striatus* and *Eucheuma denticulatum***

IJAZAH : DOKTOR FALSAFAH (BIOTEKNOLOGI)

Saya PAN SHING YI, Sesi pengajian 2011-2012, mengaku membenarkan tesis Sarjana ini disimpan di perpustakaan Universiti Malaysia Sabah dengan syarat-syarat kegunaan seperti berikut:

1. Tesis ini adalah hak milik Universiti Malaysia Sabah.
2. Perpustakaan Universiti Malaysia Sabah dibenarkan membuat salinan untuk tujuan pengajian sahaja.
3. Perpustakaan dibenarkan membuat salinan tesis ini sebagai bahan pertukaran antara institusi pengajian tinggi.
4. Sila tandakan (/)

SULIT

(Mengandungi maklumat yang berdarjah keselamatan atau kepentingan Malaysia seperti yang termaktub di dalam AKTA RAHSIA)


  
/

TERHAD

(Mengandungi maklumat TERHAD yang telah ditentukan oleh organisasi/badan di mana penyelidikan dijalankan)

TIDAK TERHAD

Disahkan oleh,



(PAN SHING YI)

Tarikh: 13 Oktober 2016

NURULAIN BINTI ISMAIL  
LIBRARIAN  
UNIVERSITI MALAYSIA SABAH  


(Tandatangan Pustakawan)



(Prof. Madya Lee Ping Chin)




UMS

## **DECLARATION**

I hereby declare that no part of this report has been previously submitted for a degree in this or any other university. All work were based on my own research except as cited in references and other part of the report where indicated.

13 October 2016



Pan Shing Yi  
PS20119130



# CERTIFICATION

NAME : PAN SHING YI  
MATRIC NO. : PS20119130  
TITLE : IMMUNOMODULATING PROPERTIES OF SABAH  
SEaweeds *KAPPAPHYCUS STRIATUS* AND  
*EUCHEUMA DENTICULATUM*  
DEGREE : DOCTOR OF PHILOSOPHY (PhD)  
VIVA DATE : 11<sup>TH</sup> OCTOBER 2016

## CERTIFIED BY;

1. SUPERVISOR

Assoc. Prof. Dr. Lee Ping Chin

Signature



## **ACKNOWLEDGEMENT**

I would like to show my deepest appreciation to everyone who helped me during this period of my research from March 2012 to November 2015. Without them, this research would not have been a reality.

First and foremost, I would like to show my deepest appreciation to my dear supervisor, Assoc. Prof. Dr. Lee Ping Chin for her continuous assistance, guidance, patience throughout the duration of this project. I am truly blessed and grateful to have Dr. Lee as my supervisor, whom responded to my questions and encouraged me when I encountered problems throughout my research.

The duration of working and learning was tough and interesting and I really enjoyed it. Special thanks to my friends Lem Fui Fui, Thien Vun Yee, Yong Yoong Soon, Fernandes Opook whom gave me support and assisted me by providing useful reference material and information throughout this research. I would also like to express my foremost appreciation and gratitude to them of spending their precious time in helping me in my research and been with me through the long laboratory hours.

I would also like to thank all the staffs of Biotechnology Research Institute (BRI) and Faculty of Science and Natural Resources (FSSA) for providing facilities, guidance and help throughout my research. I would like to give acknowledgement to my church members for their continuous support and prayer. Last but not least, I would like to thank and express my appreciation to my husband, parents and sister for their encouragement whom supported me through thick and thin.

Pan Shing Yi  
PS20119130

## ABSTRACT

Seaweeds which are high in vitamins, minerals, proteins, polysaccharides and dietary fibers have been consumed traditionally in many East Asia countries as functional food and as sources of medicinal drugs for health promotion and disease prevention. Despite of the vast benefits, documentation on the immunological properties of Sabah seaweeds is scarce. Immunomodulators are capable to augment the immune system in order to provide protection against infections and improve our health. Thus, this study investigated the water and ethanolic extracts of *Kappaphycus striatus* and *Eucheuma denticulatum* that are widely cultured in Sabah and of economic importance. *Ex vivo* experiments were conducted using Balb/c mice spleens for NK cells activities, splenocytes proliferation and serum was used for Th-1 cytokine IFN- $\gamma$  and Th-2 IL-4. Macrophage proliferation assay, nitric oxide production and wound healing assay were evaluated *in vitro* using RAW 264.7 and 3T3 cells. The *K. striatus* water extracts and ethanolic extracts of both seaweed samples could significantly increase the proliferation of RAW264.7 cells in a concentration-dependent manner (50 – 200  $\mu$ g/mL). Both water extracts at 12.5 – 200  $\mu$ g/mL were able to significantly increase considerable amounts of nitrite, while the production of nitrite was significantly inhibited when LPS-induced RAW 264.7 were incubated with the water extracts. This indicates that the water extracts of *K. striatus* and *E. denticulatum* possess anti-inflammatory activity. *E. denticulatum* ethanolic extracts at 100  $\mu$ g/mL stimulated the migration of 3T3 fibroblasts in scratch assay indicated they exhibited wound healing properties. In addition, Balb/c mice administered with 50 mg/kg of *E. denticulatum* ethanolic extracts showed significant proliferation in all *ex vivo* tests suggesting that it is the best concentration to significantly immunomodulate the immune system. Gene expression profile were further investigated in mice treated with *E. denticulatum* ethanolic extracts at 50 mg/kg and 100  $\mu$ g/mL to further understand the molecular mechanism involved in the immunomodulation. Gene expression results showed that the ethanolic extracts were involved in T-cell signaling pathway via the *CD8B1* and *CD3G* cell surface receptors. This lead to subsequent multiple downstream signaling pathways including calcium-calcineurin-NFAT, MAPK and NF- $\kappa$ B signaling pathways which could further activate downstream targets *P38*, *NFAT*, *AP-1*, *NF- $\kappa$ B* to induce cell proliferation, differentiation and production of cytokines. Increased expressions were shown in *CD8B1* and *CD3G* surface receptor genes, at a fold-change of 1.60 ( $p=0.039$ ) and 1.49 ( $p=0.026$ ) respectively whereas slight increased expressions which were not significant were shown in *NFAT1*, at 1.21 ( $p=1.53$ ) and *IFN- $\gamma$* , at 1.54 ( $p=0.14$ ) indicating that the extracts serve as a strong modulator in activating the surface receptors which could lead to the proliferation and activity of lymphocytes (T cells and NK cells), macrophage activation which mediate calcium-calcineurin-NFAT signaling pathway. In addition, the molecular mechanisms of cell-adhesion activities were also investigated. Wound healing activity involves the signal transduction and interaction of ECM to cell adhesion receptor integrins, cytoplasmic kinases, growth factors and cytokines. *SPP1*, an ECM protein with a fold-change of 2.11 ( $p=2.11$ ) which interacts and bind to *ITGB3* cell surface integrins, with a fold-change of 1.44 ( $p=0.004$ ) followed by stimulating cell-to-cell and cell-to-ECM adhesion, were found to be significantly expressed in

## ABSTRACT

Seaweeds which are high in vitamins, minerals, proteins, polysaccharides and dietary fibers have been consumed traditionally in many East Asia countries as functional food and as sources of medicinal drugs for health promotion and disease prevention. Despite of the vast benefits, documentation on the immunological properties of Sabah seaweeds is scarce. Immunomodulators are capable to augment the immune system in order to provide protection against infections and improve our health. Thus, this study investigated the water and ethanolic extracts of *Kappaphycus striatus* and *Eucheuma denticulatum* that are widely cultured in Sabah and of economic importance. *Ex vivo* experiments were conducted using Balb/c mice spleens for NK cells activities, splenocytes proliferation and serum was used for Th-1 cytokine IFN- $\gamma$  and Th-2 IL-4. Macrophage proliferation assay, nitric oxide production and wound healing assay were evaluated *in vitro* using RAW 264.7 and 3T3 cells. The *K. striatus* water extracts and ethanolic extracts of both seaweed samples could significantly increase the proliferation of RAW264.7 cells in a concentration-dependent manner (50 – 200  $\mu$ g/mL). Both water extracts at 12.5 – 200  $\mu$ g/mL were able to significantly increase considerable amounts of nitrite, while the production of nitrite was significantly inhibited when LPS-induced RAW 264.7 were incubated with the water extracts. This indicates that the water extracts of *K. striatus* and *E. denticulatum* possess anti-inflammatory activity. *E. denticulatum* ethanolic extracts at 100  $\mu$ g/mL stimulated the migration of 3T3 fibroblasts in scratch assay indicated they exhibited wound healing properties. In addition, Balb/c mice administered with 50 mg/kg of *E. denticulatum* ethanolic extracts showed significant proliferation in all *ex vivo* tests suggesting that it is the best concentration to significantly immunomodulate the immune system. Gene expression profile were further investigated in mice treated with *E. denticulatum* ethanolic extracts at 50 mg/kg and 100  $\mu$ g/mL to further understand the molecular mechanism involved in the immunomodulation. Gene expression results showed that the ethanolic extracts were involved in T-cell signaling pathway via the *CD8B1* and *CD3G* cell surface receptors. This lead to subsequent multiple downstream signaling pathways including calcium-calcineurin-NFAT, MAPK and NF- $\kappa$ B signaling pathways which could further activate downstream targets *P38*, *NFAT*, *AP-1*, *NF- $\kappa$ B* to induce cell proliferation, differentiation and production of cytokines. Increased expressions were shown in *CD8B1* and *CD3G* surface receptor genes, at a fold-change of 1.60 ( $p=0.039$ ) and 1.49 ( $p=0.026$ ) respectively whereas slight increased expressions which were not significant were shown in *NFAT1*, at 1.21 ( $p=1.53$ ) and *IFN- $\gamma$* , at 1.54 ( $p=0.14$ ) indicating that the extracts serve as a strong modulator in activating the surface receptors which could lead to the proliferation and activity of lymphocytes (T cells and NK cells), macrophage activation which mediate calcium-calcineurin-NFAT signaling pathway. In addition, the molecular mechanisms of cell-adhesion activities were also investigated. Wound healing activity involves the signal transduction and interaction of ECM to cell adhesion receptor integrins, cytoplasmic kinases, growth factors and cytokines. *SPP1*, an ECM protein with a fold-change of 2.11 ( $p=2.11$ ) which interacts and bind to *ITGB3* cell surface integrins, with a fold-change of 1.44 ( $p=0.004$ ) followed by stimulating cell-to-cell and cell-to-ECM adhesion, were found to be significantly expressed in

this study. Activation of *SPP1* protein and *ITGB3* cell surface receptor could initiate the integrin-mediated signaling pathway followed by activation of downstream pathways such as cytoskeletal organization, PI3K-Akt signalling pathway and MAPK signalling pathway. Besides, *SPP1* and *ITGB3* genes play an important role in cell proliferation, migration, differentiation, growth regulation which could accelerate fibroblast migration thus enhancing wound healing activity. Gene expression studies showed that Sabah seaweeds especially *E. denticulatum* ethanolic extracts has immunomodulating activities by acting on cell surface receptors which could then mediate T-cell receptor signaling and integrin-mediated signaling pathway. This study stipulated that all water and ethanolic seaweed extracts especially 50 mg/kg *E. denticulatum* ethanolic extracts served as a strong immunomodulator in enhancing host defence mechanisms and immune system.



## **ABSTRAK**

### **CIRI-CIRI IMMUNOMODULASI RUMPAI LAUT SABAH *KAPPAPHYCUS STRIATUS* DAN *EUCHEUMA DENTICULATUM***

Rumpai laut mengandungi vitamin-vitamin, protein, polisakarida dan serat dietari telah digunakan secara tradisional dalam banyak negara-negara Asia Timur sebagai makanan fungsian dan sebagai sumber perubatan untuk promosi kesihatan dan pencegahan penyakit. Dokumentasi tentang imunologi rumpai laut di Sabah sukar didapati walaupun terdapat banyak laporan tentang faedah-faedah rumpai laut. Imunomodulator mempunyai kebolehan untuk mempertahankan sistem imun bagi memberi perlindungan terhadap jangkitan dan membaiaki kesihatan kita. Maka, kajian ini menyiasat ekstrak air dan etanol *Kappaphycus striatus* dan *Eucheuma denticulatum* yang banyak dikulturkan di Sabah dan mempunyai kepentingan ekonomi. Eksperimen-eksperimen ex vivo telah dijalankan dengan menggunakan limpa mencit Balb/c untuk aktiviti sel-sel NK, proliferasi sel-sel limpa dan serum mencit untuk sitokin Th1 IFN- $\gamma$  dan sitokin Th2 IL-4. Proliferasi makrofaj, produksi nitrik oksida dan eksperimen penyembuhan luka dinilaikan in vitro dengan menggunakan sel-sel RAW 264.7 dan 3T3. Ekstrak air *K. striatus* dan ekstrak etanol daripada kedua-dua rumpai laut boleh menambahkan proliferasi RAW 264.7 dengan signifikan daripada 50 – 200  $\mu\text{g}/\text{mL}$ . Kedua-dua ekstrak air pada 12.5 – 200  $\mu\text{g}/\text{mL}$  dapat menambahkan nitrit dengan signifikan manakala pengeluaran nitrit direncat dengan signifikan apabila RAW 264.7 yang dicetuskan dengan LPS dieramkan dengan ekstrak air. Ini menunjukkan ekstrak air *K. striatus* dan *E. denticulatum* memiliki aktiviti anti-radang. 100  $\mu\text{g}/\text{mL}$  ekstrak etanol *E. denticulatum* merangsang penghijrahan fibroblas 3T3 dalam asai penyembuhan luka menunjukkan mereka mempunyai ciri-ciri penyembuhan luka. Sebagai tambahan, mencit Balb/c yang diberi dengan 50 mg/kg ekstrak etanol *E. denticulatum* menunjukkan proliferasi signifikan dalam semua kajian ex vivo dan ini mencadangkan bahawa kepekatan ini adalah kepekatan yang terbaik untuk imunomodulasikan sistem imun. Profil ekspresi gen seterusnya disiasat dalam mencit Balb/c yang diberi dengan 50 mg/kg ekstrak etanol *E. denticulatum* dan fibroblas 3T3 yang dieramkan dengan 100  $\mu\text{g}/\text{mL}$  ekstrak etanol *E. denticulatum* untuk memahami mekanisma molekul yang terlibat dalam imunomodulasi. Keputusan ekspresi gen menunjukkan bahawa ekstrak etanol terlibat dalam laluan pengisyaratian sel-T melalui permukaan sel-sel reseptor CD8B1 dan CD3G. Ini menjurus kepada beberapa laluan pengisyaratian seperti laluan-laluan kalsium-calcineurin-NFAT, MAPK dan NF- $\kappa$ B. Laluan-laluan tersebut akan mengaktifkan gen-gen seperti P38, NFAT, AP-1 dan NF- $\kappa$ B yang boleh mendorong proliferasi sel, pembezaan dan pengeluaran sitokin. Peningkatan ekspresi telah ditunjukkan pada permukaan gen-gen reseptor iaitu gen CD8B1 dan CD3G yang menunjukkan perbezaan kali ganda iaitu 1.60 ( $p=0.039$ ) dan 1.49 ( $p=0.026$ ) manakala ekspresi yang tidak signifikan ditunjukkan di dalam NFAT1 dan IFN- $\gamma$ , iaitu 1.21 ( $p=1.53$ ) dan 1.54 ( $p=0.14$ ) menunjukkan bahawa ekstrak rumpai laut ini berfungsi sebagai satu pemodulat kuat dalam mengaktifkan permukaan gen-gen reseptor yang boleh menjurus proliferasi dan aktiviti limfosit (sel-sel T dan sel-sel NK). Selain itu, ekstrak ini dapat mengaktifkan makrofaj yang menjadi pengantara dalam laluan kalsium-calcineurin-NFAT. Sebagai tambahan, mekanisma molekul lekatan sel juga

*disiasat. Kegiatan penyembuhan luka melibatkan transduksi isyarat dan interaksi ECM kepada reseptor lekatan seperti sel integrin, kinase sitoplasma, faktor pertumbuhan dan sitokin. Kajian ini menunjukkan perningkatan ekspresi gen secara signifikan apabila protein ECM, SPP1 yang menunjukkan perbezaan kali ganda iaitu 2.11 ( $p=2.11$ ) berinteraksi dengan permukaan sel ITGB3, iaitu 1.44 ( $p=0.004$ ) melalui perangsangan sel-kepada-sel dan perlekatan sel-kepada-ECM. Pengaktifan protein SPP1 dan reseptor permukaan sel ITGB3 boleh merangsangkan laluan pengisyarat pengantara integrin diikuti oleh pengaktifan organisasi kerangka sel, laluan PI3K-Akt dan laluan MAPK. Selain itu, gen-gen SPP1 dan ITGB3 memainkan peranan yang penting dalam proliferasi, penghijrahan, pembezaan dan pertumbuhan sel-sel yang boleh mempercepatkan penghijrahan fibroblas maka mempertingkat kegiatan penyembuhan luka. Kajian-kajian ekspresi gen menunjukkan bahawa rumput laut Sabah terutamanya ekstrak etanol E. denticulatum mengandungi aktiviti imumomodulasi dengan mengaktifkan permukaan sel reseptor yang boleh mengantara dan menyebabkan regulasi laluan pengisyarat sel-T dan laluan pengisyarat pengantara integrin. Kajian ini menunjukkan semua ekstrak air dan etanol terutama 50 mg/kg ekstrak etanol E. denticulatum berfungsi sebagai pemodulat kuat untuk meningkatkan mekanisma pertahanan badan dan sistem imun.*

# TABLE OF CONTENTS

	Page
<b>TITLE</b>	i
<b>DECLARATION</b>	ii
<b>CERTIFICATION</b>	iii
<b>ACKNOWLEDGEMENT</b>	iv
<b>ABSTRACT</b>	v
<b>ABSTRAK</b>	vii
<b>TABLE OF CONTENTS</b>	ix
<b>LIST OF TABLES</b>	xiii
<b>LIST OF FIGURES</b>	xiv
<b>LIST OF ABBREVIATIONS</b>	xvi
<b>LIST OF APPENDICES</b>	xvii
<b>CHAPTER 1: INTRODUCTION</b>	
1.1    Introduction	1
1.2    Problem Statement	3
1.3    Hypothesis of the study	4
1.4    Objectives	4
<b>CHAPTER 2: LITERATURE REVIEW</b>	
2.1    General overview of seaweeds	5
2.2    Seaweed cultivation in Malaysia	7
2.3    Seaweed in Sabah	9
2.3.1 <i>Eucheuma denticulatum</i>	10
2.3.2 <i>Kappaphycus striatus</i>	11
2.4    General uses of seaweeds	12
2.5    General nutritional values of seaweeds	14
2.5.1 Seaweed polysaccharides	18
2.5.2 Proteins and amino acids	19
2.5.3 Vitamins and minerals	20

2.6	Seaweed as functional food	21
2.6.1	Addition of seaweed as dietary fibre	22
2.6.2	Addition of seaweed as food preservatives	23
2.7	Overview of the immune system	24
2.7.1	Innate immunity	25
2.7.2	Adaptive immunity	26
2.8	Organs of the immune system	27
2.9	Cells of the immune system	28
2.9.1	Lymphocytes	28
2.9.1(a)	B cells	28
2.9.1(b)	T cells	29
2.9.1(c)	NK cells	30
2.9.2	Macrophages	30
2.10	Cytokines	31
2.11	Immunomodulation	32
2.11.1	Immunomodulating activities of seaweeds	32

### **CHAPTER 3: MATERIALS AND METHODS**

3.1	Seaweed samples	35
3.2	Seaweed extraction	36
3.3	Cell lines and culture conditions	37
3.4	<i>In vitro</i> immunomodulatory assays	38
3.4.1	Macrophage proliferation assay	38
3.4.2	Nitric oxide production	38
3.4.3	<i>In vitro</i> splenocyte proliferation assay	39
3.5	<i>Ex vivo</i> immunomodulatory assays	40
3.5.1	Preparation of laboratory animals	40
3.5.2	Preparation and culture of Balb/c mice splenocytes	40
3.5.3	Natural killer assay	41
3.5.4	<i>Ex vivo</i> splenocyte proliferation assay	42
3.5.5	Cytokine production assay	43
3.5.5(a)	IL-4	43
3.5.5(b)	IFN- $\gamma$	43

3.6	<i>In vitro</i> scratch assay	44
3.7	RNA extraction	46
	3.7.1 RNA extraction from Balb/c mice spleens	46
	3.7.2 RNA extraction from NIH 3T3 fibroblasts	47
3.8	PCR array	49
3.9	Quantitative real-time PCR (qPCR)	51
	3.9.1 Reverse transcription	51
	3.9.2 qPCR on RNA obtained from Balb/c mice spleens	51
	3.9.3 qPCR on RNA obtained from NIH 3T3 fibroblasts	52
3.10	Statistical analysis	54
3.11	Experimental design	54

#### **CHAPTER 4: RESULTS**

4.1	Extraction yield of seaweeds	56
4.2	<i>In vitro</i> immunomodulatory activities	57
	4.2.1 Macrophage proliferation activity	57
	4.2.2 Nitric oxide production	59
	4.2.3 <i>In vitro</i> splenocyte proliferation activity	61
4.3	<i>Ex vivo</i> immunomodulatory activities	62
	4.3.1 Body weight and spleen weight	62
	4.3.2 Natural killer activity	64
	4.3.3 Splenocyte proliferation activity	65
	4.3.4 IFN- $\gamma$ and IL-4 cytokine production	69
4.4	Wound healing activity on NIH 3T3 fibroblasts	70
4.5	Gene expression profiling	76
	4.5.1 RNA quality	76
	4.5.1 (a)Optical density of RNA samples extracted from Balb/c mice	76
	4.5.1 (b)Optical density of RNA samples extracted from NIH 3T3 fibroblasts	77
	4.5.2 Identification of possible genes involved in immunomodulation using PCR array	78
	4.5.3 Identification of possible genes involved in wound healing activity	81
	4.5.4 KEGG Orthology (KO) analysis for pathway identification	82

4.6	Validation of gene expression by QPCR	83
4.6.1	Validation of gene expression involved in immunomodulation	83
4.6.2	Validation of wound healing gene expression	87
<b>CHAPTER 5: DISCUSSION</b>		
5.1	Seaweed extraction	89
5.2	Macrophage proliferation activity and nitric oxide production	89
5.3	<i>Ex vivo</i> immunomodulating activity	91
5.4	Wound healing activity	96
5.5	Functions of regulated genes involved in immunomodulation using PCR array	98
5.6	Functions of regulated genes involved in wound healing using PCR array	103
5.7	<i>E. denticulatum</i> ethanolic extracts modulate T-cell receptor signaling pathway	104
5.8	<i>E. denticulatum</i> ethanolic extracts modulate integrin-mediated signaling pathway	112
5.9	Summary of immunomodulating activity by <i>K. striatus</i> and <i>E. denticulatum</i> extracts	117
<b>CHAPTER 6 : CONCLUSIONS</b>		121
<b>REFERENCES</b>		123
<b>APPENDIX</b>		154

## LIST OF TABLES

	Page
Table 2.1: Classification of algae	7
Table 2.2: General nutrient composition of tropical seaweeds collected from Malaysia	16
Table 3.1: Morphological description of <i>K. striatus</i> and <i>E. denticulatum</i>	36
Table 3.2: Assay ID for Taqman gene expression assay	53
Table 3.3: Fold-difference in expression	54
Table 4.1: Yield of water and ethanolic extracts obtained from <i>K. striatus</i> and <i>E. denticulatum</i> seaweeds	57
Table 4.2: Body weights and spleen index of Balb/c mice treated with <i>K. striatus</i> and <i>E. denticulatum</i> water and ethanolic extracts	63
Table 4.3: Optical density of control group and ED ETOH 50 group	76
Table 4.4: Optical density of 3T3 control group and 3T3 ED ETOH group	77
Table 4.5: Fold-change expression on mouse T-cell and B-cell activation and mouse common cytokines RT <sup>2</sup> profiler PCR array	79
Table 4.6: Fold-change expression on mouse wound healing RT <sup>2</sup> profiler PCR array	81
Table 4.7: KEGG pathways classification of regulated genes of Balb/c mice administered with 50 mg/kg <i>E. denticulatum</i> ethanolic extracts (ED ETOH 50)	82
Table 4.8: PCR efficiency of Taqman gene expression assays	84
Table 4.9: Relative gene expression in ED ETOH 50 group (n=10) as compared to control group (n=10)	85
Table 4.10: PCR efficiency of Taqman gene expression assays	87
Table 4.11: Relative gene expression in 3T3 ED ETOH (n=3) as compared to 3T3 control group (n=3)	88

## LIST OF FIGURES

	Page
Figure 2.1 : Seaweed global production from year 1980-2010	8
Figure 2.2 : Fresh <i>Eucheuma denticulatum</i> red seaweed obtained from Semporna, Sabah	11
Figure 2.3 : Fresh <i>Kappaphycus striatus</i> var. <i>sacol</i> (flower) seaweed obtained from Semporna, Sabah	12
Figure 3.1 : Experimental design of the immunomodulating properties of <i>K. striatus</i> and <i>E. denticulatum</i>	55
Figure 4.1 : Sabah seaweeds obtained from Semporna, Sabah (A) <i>Kappaphycus striatus</i> ; (B) <i>Eucheuma denticulatum</i>	56
Figure 4.2 : Percentage of water and ethanolic extracts of <i>K. striatus</i> on Raw 264.7 cells proliferation	58
Figure 4.3 : Percentage of water and ethanolic extracts of <i>E. denticulatum</i> on Raw 264.7 cells proliferation	58
Figure 4.4 : Nitric oxide production of water extracts and ethanolic extracts of <i>K. striatus</i> and <i>E. denticulatum</i> incubated with Raw 264.7 cells for 24 hours	60
Figure 4.5 : Nitric oxide production of water extracts and ethanolic extracts of <i>K. striatus</i> and <i>E. denticulatum</i> incubated with Raw 264.7 cells with 1 µg/mL LPS for 24 hours	60
Figure 4.6 : <i>In vitro</i> splenocyte proliferation assay on Balb/c mice splenocytes treated with different seaweeds at a concentration of 0, 12.5, 25, 50, 100 and 200 µg/mL	62
Figure 4.7 : Natural killer cell activity of <i>Eucheuma denticulatum</i> and <i>K. striatus</i> water and ethanolic extracts in Balb/c mice	65
Figure 4.8 : Splenocyte proliferation assay on Balb/c mice orally administered with <i>E. denticulatum</i> seaweed concentrations at 10, 50 and 100 mg/kg of water and ethanolic extracts	66
Figure 4.9 : Splenocyte proliferation assay on Balb/c mice orally administered with <i>K. striatus</i> seaweed concentrations at 10, 50 and 100 mg/kg of water and ethanolic extracts	68

Figure 4.10 : IFN- $\gamma$ cytokine production of Balb/c mice orally administered with <i>E. denticulatum</i> and <i>K. striatus</i> seaweed concentrations at 10 mg/kg, 50 mg/kg and 100 mg/kg of water and ethanolic extracts	69
Figure 4.11 : IL-4 cytokine production of Balb/c mice orally administered with <i>E. denticulatum</i> and <i>K. striatus</i> seaweed concentrations at 10 mg/kg, 50 mg/kg and 100 mg/kg of water and ethanolic extracts	70
Figure 4.12 : Percentage of water and ethanolic extracts of <i>K. striatus</i> on NIH 3T3 cells proliferation	71
Figure 4.13 : Percentage of water and ethanolic extracts of <i>E. denticulatum</i> on NIH 3T3 cells proliferation	71
Figure 4.14 : Effects of <i>E. denticulatum</i> ethanolic extracts by <i>in vitro</i> wound healing activity	73
Figure 4.15 : Effects of <i>E. denticulatum</i> ethanolic extracts by <i>in vitro</i> wound healing activity	74
Figure 4.16 : mRNA expressions of <i>SPP1</i> , <i>CD8B1</i> , <i>CD3G</i> , <i>IFN-<math>\gamma</math></i> , <i>NFAT1</i> , <i>CTLA4</i> , <i>CDKN1A</i> , <i>IL-4</i> , <i>P38B</i> and <i>IFNyR1</i>	86
Figure 4.17 : mRNA expressions of <i>ITGB3</i> , <i>PDGFA</i> , <i>TIMP1</i> and <i>CXCL5</i>	88
Figure 5.1 : Schematic diagram of T cell signaling receptor pathway and downstream signaling calcium-calcineurin-NFAT, MAPK and NF- $\kappa$ B signaling pathways	104
Figure 5.2 : Schematic diagram on integrin-mediated signaling pathway and its downstream MAPK signaling pathway and PI3K signaling pathway	112
Figure 5.3 : Summary of <i>in vitro</i> and <i>ex vivo</i> immunomodulating activity of water and ethanolic extracts <i>K. striatus</i> and <i>E. denticulatum</i> seaweed	117

## LIST OF ABBREVIATIONS

<b>%</b>	- Percent
<b>°C</b>	- Degree celcius
<b>µg</b>	- Microgram
<b>µL</b>	- Microliter
<b>µm</b>	- Micrometer
<b>µM</b>	- Micromolar
<b>bp</b>	- Base pair
<b>CRAC channels</b>	- Calcium release activated channels
<b>DMSO</b>	- Dimethyl Sulfoxide
<b>dNTP</b>	- Deoxynucleoside triphosphate
<b>EDTA</b>	- Ethylenediamine tetraacetic acid
<b>ITAM</b>	- Immunoreceptor tyrosine-based activation motif
<b>LPS</b>	- Lipopolysaccharide
<b>M</b>	- Molarity
<b>mg</b>	- Milligram
<b>min</b>	- Minutes
<b>mL</b>	- Milliliter
<b>mm</b>	- Millimeter
<b> mM</b>	- Millimolar
<b>NK</b>	- Natural killer
<b>nm</b>	- Nanometer
<b>PCR</b>	- Polymerase Chain Reaction
<b>pmol</b>	- pico molar
<b>RNA</b>	- Ribonucleic Acid
<b>rpm</b>	- Revolution per minute
<b>RQ</b>	- Relative quantity
<b>sec</b>	- Second
<b>v/v</b>	- Volume per volume
<b>w/v</b>	- Weight per volume

## **LIST OF APPENDICES**

		Page
APPENDIX A	Cell culture media	154
APPENDIX B	Chemicals, reagents, buffers	155
APPENDIX C	Bioanalyzer results	156
APPENDIX D	Standard curves	160
APPENDIX E	<i>In vitro</i> scratch assay results	161

# CHAPTER 1

## INTRODUCTION

### 1.1 Introduction

Marine macroalgae or seaweeds are classified into red (*Rhodophyta*), brown (*Ochrophyta*) and green (*Chlorophyta*) macroalgae based on their pigmentation (Chan, Ho, and Phang, 2006). Seaweeds are low in calories, rich in vitamins, minerals, proteins, polysaccharides and dietary fibers (Dhargalkar and Pereira, 2005; Gupta & Abu-Ghannam, 2011b; Holdt and Kraan, 2011). Seaweeds are also known for their diverse claims health promotion and disease prevention. Red, brown and green seaweeds have been reported to exhibit antibacterial, antitumor, antioxidant, immunomodulatory, anti-inflammatory activities and anticoagulant properties (Zhou, Sun, Xin, Zhang, Li, and Xu, 2004; Cox, Abu-Ghannam and Gupta, 2010; Na, Kim, Kim, Park, Lee, Kim, Synytsya, and Park, 2010; Vairappan, Kamada, Lee and Jeon, 2013).

The demand of healthy food is progressively gaining attention over the years. Application of synthetic preservatives and additives such as sodium nitrite, sodium benzoate, butylated hydroxyanisole (BHA) and butylated hydroxytoluene (BHT) to preserve the quality of food have been reported to be toxic and exert carcinogenic effect (Yamazaki, Yamaguchi, Yamauchi, and Kakiuchi, 1994; Massey, 1997; Sarhan, Shati, and Elsaied, 2014). This has opened up the necessity to search for natural food preservatives (Shan, Cai, Brooks, and Corke, 2007). The demand of seaweeds to be used as food, fodder, fertilizer and sources of medicinal drugs have also increased and thus lead to the study of seaweeds as potential for functional food development (Sánchez-Machado, López-Cervantes, López-Hernández, and Paseiro-Losada, 2004; Hong, Hien, and Son, 2007). In this regards, cultivated tropical seaweeds were chosen for their diverse claims for health promotion and disease prevention.

Despite the vast reports, documentation on immunomodulating properties of Sabah seaweeds is scarce and majority of the researches were focused on its chemical contents, anti-cancer and anti-oxidant activities. Natural immunomodulators are host defense stimulators and are being used as immunotherapy in some diseases such as cancer, immunodeficiency disorders, inflammation, and infectious diseases (Masihi, 2000; Peakman, Dayan and Thomas, 2001; Heo, Yoon, Kim, Ahn, Kang, Kang, Affan, Oh, Jung, and Jeon, 2010). Immunomodulators are capable to enhance host defence mechanisms which involve immune system cells such as lymphocyte subsets, macrophages and natural killer (NK) cells in order to provide protection against infections (Peakman, Dayan, & Thomas, 2001).

Marine bioresources are known to contain promising potential for discovering novel compounds with a diversity of bio-activities (Fujikura, Lindsay, Kitazato, Nishida, and Shirayama, 2010; Radulovich, Umanzor, Cabrera, and Mata, 2015). The rich marine biodiversity has attracted biomedical and medical scientists on the immunomodulating activities of the seaweeds. To date, researches on immunomodulating activities have been focused on red, brown, green seaweeds obtained from China, Japan, Korea and Spain. Polysaccharides from green seaweeds *Enteromorpha intestinalis* and *Enteromorpha prolifera* collected from China and Japan exerted immunomodulating activities as they induced cytokines production, nitric oxide production, T-cells splenocytes proliferation and also inhibit S-180 tumours (Jiao, Jiang, Zhang and Wu, 2010; Kim, Cho, Karnjanapratum, Shin, and You, 2011). Besides, sulphated polysaccharides obtained from *Ulva rigida* harvested from Spain could augment the immune system by inducing nitric oxide production, iNOS production from RAW 264.7 cells and increase chemokines expression (Leiro, Castro, Arranz, and Lamas, 2007). Also, polysaccharides obtained from brown and red seaweed *Hizikia fusiformis* and *Meristotheca papulosa* harvested in Japan could induce the proliferation of human lymphocytes indicated seaweeds exhibit immunomodulating activities and they might be useful in clinical applications for the treatment of tumours (Shan, Yoshida, Kuroda, and Yamashita, 1999).

Functional food is defined to have vast nutritional effects and thus improving the state of health or reducing the risk of illness and disease (Roberfroid, 2002). Seaweed showed potential as functional food ingredients as they possess medicinal characteristics, anticancer and anti-inflammatory and immunomodulatory activity (Hong *et al.*, 2007; Karnjanapratum, Tabarsa, Cho, and You, 2012; Vairappan *et al.*, 2013). Seaweeds such as Nori, Kombu, Wakame and Hijiki are widely used in food showed diverse health benefits (Okai, Higashi-Okai, Ishizaka, Ohtani, Matsui-Yuasa, and Yamashita, 1998; Ismail and Tan, 2002; Kuda, Hishi, and Maekawa, 2006; Negishi, Mori, Mori, and Yamori, 2013). Carrageenan, agar, and alginates from seaweeds were applied as functional food ingredients (Tseng, 2001).

To date, seaweeds also serve as a major food ingredient in food products especially in Japan, Korea and China (Ismail and Tan, 2002). However, seaweed as a food in Malaysia is not common and it is occasionally eaten as a salad dish (Norziah and Ching, 2000). Researches showed that seaweeds may be applied as functional food ingredient for lowering cholesterol and glycaemic index (Matanjun, Mohamed, Mustapha, and Muhammad, 2009). Red seaweeds *Eucheuma* spp. and *Kappaphycus* spp. and serve as an economically important source in east Malaysia as they are used for the extraction of iota and kappa carrageenan for the application in food industries (Phang *et al.*, 2010b; Cai *et al.*, 2013; Hurtado *et al.*, 2014). Hence, the study of immunomodulating activities of *Eucheuma denticulatum* and *Kappaphycus striatus* might promote adding seaweeds as functional food.

## 1.2 Problem Statement

Seaweeds widely consumed as food contain vast beneficial effects ranging from antibacterial, antitumor, antioxidant, anticoagulant and anti-inflammatory activities. Hence, do the *Eucheuma denticulatum* and *Kappaphycus striatus* red seaweeds contain immunomodulating properties and how do these seaweeds exert the immunomodulating activities.

### **1.3 Hypothesis of the Study**

*Eucheuma denticulatum* and *Kappaphycus striatus* obtained from Sabah exhibit immunomodulating activities including splenocytes proliferation, natural killer activity, macrophage proliferation, nitric oxide production, cytokine production and wound healing activity.

### **1.4 Objectives**

- a. To identify the potential of immunomodulatory activities of *Eucheuma denticulatum* and *Kappaphycus striatus* from Semporna, Sabah
- b. To compare the immunomodulating properties between *Eucheuma denticulatum* and *Kappaphycus striatus*
- c. To elucidate the molecular mechanism of *Eucheuma denticulatum* and *Kappaphycus striatus* in their immunomodulating activities using animal models

## CHAPTER 2

### LITERATURE REVIEW

#### 2.1 General overview of seaweeds

Marine algae are simple chlorophyll-containing organisms, composed of single cells or multiple cells, and sometimes collaborating together as simple tissues. They vary greatly in size, from unicellular organisms of 3-10  $\mu\text{M}$  to giant kelps up to 70 m length. Thus, marine algae can be classified into macroalgae and microalgae based on their size inhabiting terrestrial, freshwater, brackish water and marine habitats (El Gamal, 2010; Phang, 2010). Seaweeds are macroalgae which are included in the general category of plants but they differ from terrestrial plants as they do not have true roots, stems and leaves nor vascular tissues (Rinaudo, 2007). The frond is the main part of the seaweed and the holdfast is the region of the attachment for the seaweed (Fish and Fish, 1989). Phylogenists define seaweed as marine algae that are multicellular and macrothallic (Rinaudo, 2007). Seaweeds are a group of photosynthetic organisms which are able to grow where as low as 0.1% photosynthetic light is available. Seaweeds are commonly dominant in the rocky surfaces of the shallow subtidal areas in the temperate and polar regions. Some seaweeds are also found available in the intertidal and deep, clear seas up to 250 meters (Chapman and Chapman, 1980; Dhargalkar and Pereira, 2005; Rinaudo, 2007; Chopin and Sawhney, 2009).

The most common feature employed to classify and identify macroalgae is based on the presence of the accessory photosynthetic pigments of the light harvesting complex (LHC). These colored compounds, thereby, form the basis in the classification into three groups, known as red (phylum Rhodophyta), brown (phylum Ochrophyta) and green (phylum Chlorophyta) macroalgae (Chopin and Sawhney, 2009; Guiry and Guiry, 2016). Rhodophytas contain phycobiliproteins that absorb light and gives them distinct red colour, pheophytas contain carotenoid fucoxanthin which gives them brown colour while cholorophyta consists mainly of



UMS

## REFERENCES

- Abbas, A. K., Lichtman, A. H. & Pillai, S. 2015. *Cellular and molecular immunology*. 8<sup>th</sup> edition. Philadelphia: Elsevier Saunders.
- Abbas, T. & Dutta, A. 2009. p21 in cancer: intricate networks and multiple activities. *Nature Reviews Cancer*. **9** (6): 400 - 414.
- Abehsira-Amar, O., Gibert, M., Joliy, M., Thèze, J. & Jankovic, D. L. 1992. IL-4 plays a dominant role in the differential development of Th0 into Th1 and Th2 cells. *The Journal of Immunology*. **148** (12): 3820 - 3829.
- Actor, J. K. 2014. *Introductory Immunology: Basic Concepts for Interdisciplinary Applications*. Amsterdam: Academic Press.
- Aguilan, J. T., Broom, J. E., Hemmingson, J. A., Dayrit, F. M., Montaño, M. N. E., Dancel, M. C. A., Niñonuevo, M. R. & Furneaux, R. H. 2003. Structural analysis of carrageenan from farmed varieties of Philippine seaweed. *Botanica Marina*. **46**: 179 - 192.
- Ahmad, F., Sulaiman, M. R., Saimon, W., Yee, C. F. & Matanjun, P. 2012. Proximate compositions and total phenolic contents of selected edible seaweed from Semporna, Sabah, Malaysia. *Borneo Science*. **31**: 74 - 83.
- Ahn, G., Hwang, I., Park, E., Kim, J., Jeon, Y. J., Lee, J., Park, J. W & Jee, Y. 2008. Immunomodulatory effects of an enzymatic extract from *Ecklonia cava* on murine splenocytes. *Marine Biotechnology*. **10** (3): 278 - 89.
- Akira, S., Uematsu, S. & Takeuchi, O. 2006. Pathogen Recognition and Innate Immunity. *Cell*. **124** (4): 783 - 801.
- Alegre, M. L., Noel, P. J., Eisfelder, B. J., Chuang, E., Clark, M. R., Reiner, S. L. & Thompson, C. B. 1996. Regulation of surface and intracellular expression of CTLA4 on mouse T cells. *The Journal of Immunology*. **157** (11): 4762-4770.
- Al-Saif, S. S.A., Abdel-Raouf, N., El-Wazanani, H. A., & Aref, I. A. 2014. Antibacterial substances from marine algae isolated from Jeddah coast of Red sea, Saudi Arabia. *Saudi Journal of Biological Sciences*. **21** (1): 57 - 64.
- Anderson, D. M., Maraskovsky, E., Billingsley, W. L., Dougall, W. C., Tometsko, M. E., Roux, E. R., Teepe, M. C., Dubose, R. F., Cosman, D. & Galibert, L. 1997. A homologue of the TNF receptor and its ligand enhance T-cell growth and dendritic-cell function. *Nature*. **390** (6656): 175 - 179.
- Annunziato, F., Romagnani, C. & Romagnani, S. 2015. The 3 major types of innate and adaptive cell-mediated effector immunity. *Journal of Allergy and Clinical Immunology*. **135** (3): 626–635.

- Aoki-Kinoshita, K. F. & Kanehisa, M. 2007. Gene Annotation and Pathway Mapping in KEGG. In Bergman, N. H. (ed.). *Methods in Molecular Biology*, volume 396, pp. 71 - 91. Totowa: Humana Press.
- Arikawa, E., Quellhorst, G., Han, Y., Pan, H. & Yang, J. 2011. RT2 Profiler<sup>TM</sup> PCR arrays: Pathway-Focused gene expression profiling with qRT-PCR PCR. *SA Biosciences Technical Article*. **11**.
- Artyomov, M. N., Lis, M., Devadas, S., Davis, M. M. & Chakraborty, A. K. 2010. CD4 and CD8 binding to MHC molecules primarily acts to enhance Lck delivery. *Proceedings of the National Academy of Sciences of the United States of America*. **107** (39): 16916–16921.
- Athanassakis, I. & Iconomidou, B. 1996. Cytokine Production in the Serum and Spleen of Mice from Day 6 to 14 of Gestation: Cytokines/Placenta/Spleen/Serum. *Developmental Immunology*. **4**: 247 - 255.
- Aust, G., Sittig, D., Becherer, L., Anderegg, U., Schütz, A., Lamesch, P. & Schmücking, E. 2004. The role of CXCR5 and its ligand CXCL13 in the compartmentalization of lymphocytes in thyroids affected by autoimmune thyroid diseases. *European Journal of Endocrinology*. **150** (2), 225 - 234.
- Avni, O., Lee, D., Macian, F., Szabo, S. J., Glimcher, L. H. & Rao, A. 2002. T(H) cell differentiation is accompanied by dynamic changes in histone acetylation of cytokine genes. *Nature Immunology*. **3** (7): 643 – 651.
- Azanza-Corrales, R. 1990. The farmed *Euchema* species in Danajon Reef, Philippines: vegetative and reproductive structures. *Journal of Applied Phycology*. **2** (1): 57–62.
- Balagopalan, L., Coussens, N. P., Sherman, E., Samelson, L. E. & Sommers, C. L. 2010. The LAT Story: A Tale of Cooperativity, Coordination, and Choreography. *Cold Spring Harbor Perspectives in Biology*. **2** (8): 1 - 21.
- Balasubramaniam, V., Mustar, S., Mustafa Khalid, N., Rashed, A. A, Noh, M. M. F., Wilcox, M. D., Chater, P. I., Brownlee, I. A. & Pearson, J. P. 2013. Inhibitory activities of three Malaysian edible seaweeds on lipase and α-amylase. *Journal of Applied Phycology*. **25** (5): 1405–1412.
- Bancroft, G. J. 1993. The role of natural killer cells in innate resistance to infection. *Current Opinion in Immunology*. **5** (4): 503 - 510.
- Barsanti, L., Coltelli, P., Evangelista, V., Frassanito, A., Passarelli, V., Vesentini, N. & Gualtieri, P. 2008. The World of Algae. In Evangelista, V., Barsanti, L., Frassanito, A., Passarelli, V. & Gualtieri, P. (Eds.), *Algal Toxins: Nature, Occurrence, Effect and Detection* pp. 1-15. Netherlands, Springer.
- Berg, M. & Zavazava, N. 2008. Regulation of CD28 expression on CD8+ T cells by CTLA-4. *Journal of Leukocyte Biology*. **83** (4): 853–863.

- Berghaus, L. J., Moore, J. N., Hurley, D. J., Vandenplas, M. L., Fortes, B. P., Wolfert, M. A. & Boons, G. J. 2010. Innate immune responses of primary murine macrophage-lineage cells and RAW 264.7 cells to ligands of Toll-like receptors 2, 3, and 4. *Comparative Immunology, Microbiology and Infectious Diseases*. **33** (5): 443 - 454.
- Betz, M. & Fox, B. S. 1990. Regulation and development of cytochrome c-specific IL-4-producing T cells. *The Journal of Immunology*. **145** (4): 1046–1052.
- Billack, B. 2006. Macrophage Activation: Role of toll-like receptors, nitric oxide, and nuclear factor kappa B. *American Journal of Pharmaceutical Education*. **70**(5): 1 - 10.
- Bixler, H. & Porse, H. 2011. A decade of change in the seaweed hydrocolloids industry. *Journal of Applied Phycology*. **23** (3): 321–335.
- Blonska, M. & Lin, X. 2011. NF- $\kappa$ B signaling pathways regulated by CARMA family of scaffold proteins. *Cell Research*. **21** (1): 55–70.
- Boateng, J. S., Pawar, H. V. & Tetteh, J. 2013. Polyox and carrageenan based composite film dressing containing anti-microbial and anti-inflammatory drugs for effective wound healing. *International Journal of Pharmaceutics*. **441** (1–2): 181–191.
- Bocanegra, A., Bastida, S., Benedí, J., Ródenas, S. & Sánchez-Muniz, F. J. 2009. Characteristics and nutritional and cardiovascular-health properties of seaweeds. *Journal of Medicinal Food*. **12** (2): 236–58.
- Bonilla, F. A. & Oettgen, H. C. 2010. Adaptive immunity. *Journal of Allergy and Clinical Immunology*. **125** (2): 33–40.
- Bosselut, R. 2004. CD4/CD8-lineage differentiation in the thymus: from nuclear effectors to membrane signals. *Nature Reviews Immunology*. **4**(7): 529 - 540.
- Boucheron, N., Tschismarov, R., Goeschl, L., Moser, M. A., Lagger, S., Sakaguchi, S., Winter, M., Lenz, F., Vitko, D., Breitwieser, F. P., Müller, L., Hassan, H., Bennett, K. L., Colinge, J., Schreiner, W., Egawa, T., Taniuchi, I., Matthias, P., Seiser, C. & Ellmeier, W. 2014. CD4(+) T cell lineage integrity is controlled by the histone deacetylases HDAC1 and HDAC2. *Nature Immunology*. **15** (5): 439–448.
- Bounous, D. I., Campagnoli, R. P. & Brown, J. 2013. Comparison of MTT colorimetric assay and tritiated thymidine uptake for lymphocyte proliferation assays using chicken splenocytes. *Avian Diseases*. **36** (4): 1022–1027.
- Brazil, D. P., Church, R. H., Surae, S., Godson, C. & Martin, F. 2015. BMP signalling: agony and antagony in the family. *Trends in Cell Biology*. **25** (5): 249 - 264.

- Brockmeyer, C., Paster, W., Pepper, D., Tan, C. P., Trudgian, D. C., McGowan, S., Fu, G., Gascoigne, N. R. J., Acuto, O. & Salek, M. 2011. T Cell Receptor (TCR)-induced Tyrosine Phosphorylation Dynamics Identifies THEMIS as a New TCR Signalosome Component. *Journal of Biological Chemistry*. **286** (9): 7535–7547.
- Brownlee, I., Fairclough, A., Hall, A. & Paxman, J. 2012. The potential health benefits of seaweed and seaweed extract. In Seaweed ecology, nutrient composition and medicinal uses, pp 119 - 136. Nova Science Publishers.
- Brownlie, R. J. & Zamoyska, R. 2013. T cell receptor signalling networks: branched, diversified and bounded. *Nat Rev Immunol.* **13** (4): 257–269.
- Brunner, T., Mogil, R. J., LaFace, D., Yoo, N. J., Mahboubi, A., Echeverri, F., Martin, S. J., Force, W. R., Lynch, D. H., Ware, C. F. & Green, D. R. 1995. Cell-autonomous Fas (CD95)/Fas-ligand interaction mediates activation-induced apoptosis in T-cell hybridomas. *Nature*. **373** (6513): 441–444.
- Bulboa, C. R., & De Paula, E. J. 2005. Introduction of non-native species of *Kappaphycus* (Rhodophyta, Gigartinales) in subtropical waters: Comparative analysis of growth rates of *Kappaphycus alvarezii* and *Kappaphycus striatum* *in vitro* and in the sea in south-eastern Brazil. *Phycological Research*. **53**: 183–188.
- Burns, G. F., Cosgrove, L., Triglia, T., Beall, J. A., López, A. F., Werkmeister, J. A., Begley, C. G., Haddad, A. P., d'Apice, A. J. F., Vadas, M. A. & Cawley, J. C. 1986. The IIb-IIIa glycoprotein complex that mediates platelet aggregation is directly implicated in leukocyte adhesion. *Cell*. **45**(2): 269 - 280.
- Burshtyn, D. N. & Long, E. O. 1997. Regulation through inhibitory receptors: Lessons from natural killer cells. *Trends in Cell Biology*. **7** (12): 473 - 479.
- Burton, P. 2003. Nutritional value of seaweeds. *Electrical Journal of Environmental, Agriculture and Food Chemistry*. **2** (4): 498 - 503.
- Caamaño, J. & Hunter, C. A. 2002. NF-κB family of transcription factors: central regulators of innate and adaptive immune functions. *Clinical Microbiology Reviews*. **15** (3), 414 - 429.
- Cai, J., Hishamunda, N. & Ridler, N. 2013. Social and economic dimensions of carrageenan seaweed farming: a global synthesis. *Fisheries and Aquaculture Technical Paper*. **580**: 1 - 204.
- Cao, L., Liu, X., Qian, T., Sun, G., Guo, Y., Chang, F., Zhou, S. & Sun, X. 2011. Antitumor and immunomodulatory activity of arabinoxylans: A major constituent of wheat bran. *International Journal of Biological Macromolecules*. **48** (1): 160–164.
- Cavaillon, J. M. 2001. Pro-versus anti-inflammatory cytokines: myth or reality. *Cellular and Molecular Biology*. **47** (4): 695–702.

- Cesta, M. 2006. Normal Structure, Function, and Histology of the Spleen. *Toxicologic Pathology*. **34** (5): 599–608.
- Chan, A. C., Iwashima, M., Turck, C. W. & Weiss, A. 1992. ZAP-70: A 70 kd protein-tyrosine kinase that associates with the TCR  $\zeta$  chain. *Cell*. **71** (4): 649–662.
- Chan, C. X., Ho, C. L. & Phang, S. M. 2006. Trends in seaweed research. *Trends in Plant Science*. **11** (4), 165–166.
- Chan, P. T., Matanjun, P., Yasir, S. M., & Tan, T. S. 2015. Histopathological studies on liver, kidney and heart of normal and dietary induced hyperlipidaemic rats fed with tropical red seaweed *Gracilaria changii*. *Journal of Functional Foods*. **17**: 202 – 213.
- Chapman, V. J. & Chapman, D. J. 1980. Seaweeds and their Uses. 3<sub>rd</sub> ed. New York: Chapman and Hall.
- Chen, H. C., Appeddu, P. A., Isoda, H. & Guan, J. L. 1996. Phosphorylation of Tyrosine 397 in Focal Adhesion Kinase Is Required for Binding Phosphatidylinositol 3-Kinase. *Journal of Biological Chemistry*. **271** (42): 26329 - 26334.
- Chen, L. & Flies, D. B. 2013. Molecular mechanisms of T cell co-stimulation and co-inhibition. *Nat Rev Immunol*. **13** (4): 227–242.
- Cheng, J., Montecalvo, A., & Kane, L. P. 2014. Regulation of NF- $\kappa$ B by TCR/CD28. *Immunologic Research*. **50**: 113–117.
- Cho, J. H., Kim, H. O., Kim, K. S., Yang, D. H., Surh, C. D. & Sprent, J. 2013. Unique features of naive CD8+ T cell activation by IL-2. *Journal of Immunology*. **191**: 5559–73.
- Cho, M., Yang, C., Kim, S. M. & You, S. 2010. Molecular characterization and biological activities of watersoluble sulfated polysaccharides from *Enteromorpha prolifera*. *Food Science and Biotechnology*. **19** (2): 525–533.
- Chopin, T. & Sawhney, M. 2009. Seaweeds and their Mariculture. In The encyclopedia of Ocean Sciences, pp. 317 - 326. Oxford: Academic Press.
- Chung, E., Ahn, W. & Son, Y. 2014. CXCL5 abundant in the wound fluid at the late phase of wound healing, possibly promoting migration of mesenchymal stem cells and vascular tube formation. *Tissue Engineering and Regenerative Medicine*. **11** (4): 317–322.
- Cohn, L., Homer, R. J., Niu, N. & Bottomly, K. 1999. T helper 1 cells and interferon gamma regulate allergic airway inflammation and mucus production. *The Journal of Experimental Medicine*. **190** (9): 1309 - 1318.

- Coquet, J. M., Rausch, L. & Borst, J. 2015. The importance of co-stimulation in the orchestration of T helper cell differentiation. *Immunology and Cell Biology*. **93** (9): 780 - 788.
- Cox, S., Abu-Ghannam, N. & Gupta, S. 2010. An assessment of the antioxidant and antimicrobial activity of six species of edible Irish seaweeds. *International Food Research Journal*. **220**: 205–220.
- D'Souza, W. N., Chang, C.-F., Fischer, A. M., Li, M. & Hedrick, S. M. 2008. The Erk2 MAPK regulates CD8 T cell proliferation and survival. *Journal of Immunology*. **181** (11): 7617 - 7629.
- Davidson, W. F., Haudenschild, C., Kwon, J. & Williams, M. S. 2002. T Cell Receptor Ligation Triggers Novel Nonapoptotic Cell Death Pathways That Are Fas-Independent or Fas-Dependent. *The Journal of Immunology*. **169** (11): 6218–6230.
- Dawczynski, C., Schubert, R. & Jahreis, G. 2007. Amino acids, fatty acids, and dietary fibre in edible seaweed products. *Food Chemistry*. **103** (3): 891–899.
- Degli-Esposti, M. A. & Smyth, M. J. 2005. Close encounters of different kinds: Dendritic cells and NK cells take centre stage. *Nature Reviews Immunology*. **5**(2): 112 - 124.
- Del Arco, P. G., Martínez-Martínez, S., Maldonado, J. L., Ortega-Pérez, I. & Redondo, J. M. 2000. A Role for the p38 MAP Kinase Pathway in the Nuclear Shuttling of NFATp. *Journal of Biological Chemistry*. **275** (18): 13872–13878.
- Demidova-Rice, T. N., Hamblin, M. R. & Herman, I. M. 2012. Acute and impaired wound healing: pathophysiology and current methods for drug delivery, part 1: normal and chronic wounds: biology, causes, and approaches to care. *Advances in Skin & Wound Care*. **25**: 304–14.
- Dempsey, P. W., Vaidya, S. A. & Cheng, G. 2003. The Art of War: Innate and adaptive immune responses. *Cellular and Molecular Life Sciences*. **60** (12): 2604–2621.
- Denhardt, D. T., Noda, M., O'Regan, A. W., Pavlin, D. & Berman, J. S. 2001. Osteopontin as a means to cope with environmental insults: regulation of inflammation, tissue remodeling, and cell survival. *Journal of Clinical Investigation*. **107** (9): 1055–1061.
- Dey, P. & Chaudhuri, T. K. 2014. *In vitro* modulation of TH1 and TH2 cytokine expression by edible tuber of *Dioscorea alata* and study of correlation patterns of the cytokine expression. *Food Science and Human Wellness*. **3** (1): 1–8.
- Dhargalkar, V. K. & Pereira, N. 2005. Seaweed: Promising plant of the millenium. *Science and culture*. 60-66.

- Dhargalkar, V. K. & Verlecar, X. N. 2009. Southern Ocean seaweeds: A resource for exploration in food and drugs. *Aquaculture*. **287** (3–4): 229–242.
- Dinarello, C. A. 2009. Immunological and inflammatory functions of the interleukin-1 family. *Annual Review of Immunology*. **27**: 519–50.
- Dunn, G. P., Koebel, C. M. & Schreiber, R. D. 2006. Interferons, immunity and cancer immunoediting. *Nature Reviews Immunology*. **6** (11): 836–848.
- Duque, G. A. & Descoteaux, A. 2014. Macrophage cytokines: Involvement in immunity and infectious diseases. *Frontiers in Immunology*. **5**: 1–12.
- Egerton, M., Fitzpatrick, D. R., Catling, A. D. & Kelso, A. 1996. Differential activation of T cell cytokine production by the extracellular signal-regulated kinase (ERK) signaling pathway. *European Journal of Immunology*. **26** (10): 2279–2285.
- El Gamal, A. A. (2010). Biological importance of marine algae. *Saudi Pharmaceutical Journal*. **18** (1): 1–25.
- Erickson, K. L., Medina, E. A. & Hubbard, N. E. 2000. Micronutrients and Innate Immunity. *Journal of Infectious Diseases*. **182**: 5–10.
- Erickson-Johnson, M. R., Seys, A. R., Roth, C. W., King, A. A., Hulshizer, R. L., Wang, X., Asmann, Y. W., Lloyd, R. V., Jacob, E. K. & Oliveira, A. M. 2009. Carboxypeptidase M: a biomarker for the discrimination of well-differentiated liposarcoma from lipoma. *Modern Pathology*. **22**(12): 1541 - 1547.
- Ettinger, R., Kuchen, S. & Lipsky, P. E. 2008. The role of IL-21 in regulating B-cell function in health and disease. *Immunological Reviews*. **223** (1): 60–86.
- FAO yearbook: Fishery and Aquaculture Statistics*. 2012. Food and Agricultural Organisation of the United Nations, Rome. 2012.
- FAO/WHO 1991. *Protein quality evaluation. Report of the Joint FAO/WHO Expert Consultation. Food and Nutrition Paper No. 51*. 1 - 71.
- Fauriat, C., Long, E. O., Ljunggren, H. G. & Bryceson, Y. T. 2010. Regulation of human NK-cell cytokine and chemokine production by target cell recognition. *Blood*. **115** (11): 2167 - 2176.
- Fish, J. D. & Fish, S. 1989. Algae. In *A Student's Guide to the Seashore* pp. 30 - 65. Springer: Netherlands.
- Flajnik, M. F. & Kasahara, M. 2010. Origin and evolution of the adaptive immune system: genetic events and selective pressures. *Nature Reviews Genetics*. **11** (1): 47–59.

- Fleurence, J. 1999. Seaweed proteins: biochemical, nutritional aspects and potential uses. *Trends in Food Science & Technology*. **10**: 26–29.
- Fracchia, K. M., Pai, C. Y. & Walsh, C. M. 2013. Modulation of T Cell Metabolism and Function through Calcium Signaling. *Frontiers in Immunology*. **4**: 1-11.
- Fronza, M., Heinzmann, B., Hamburger, M., Laufer, S. & Merfort, I. 2009. Determination of the wound healing effect of *Calendula* extracts using the scratch assay with 3T3 fibroblasts. *Journal of Ethnopharmacology*. **126** (3): 463 – 467.
- Fujikura, K., Lindsay, D., Kitazato, H., Nishida, S. & Shirayama, Y. 2010. Marine biodiversity in Japanese waters. *PLoS ONE*. **5** (8): 1-13.
- Fukahori, S., Yano, H., Akiba, J., Ogasawara, S., Momosaki, S., Sanada, S., Kuratomi, K., Ishizaki, Y., Moriya, F., Yagi, M. & Kojiro, M. 2008. Fucoidan, a major component of brown seaweed, prohibits the growth of human cancer cell lines *in vitro*. *Molecular Medicine Reports*. **1** (4): 537–542.
- Galland-Irmouli, A. V., Fleurence, J., Lamghari, R., Luçon, M., Rouxel, C., Barbaroux, O., Bronowicki, J. P., Villaume, C. & Guéant, J. L. 1999. Nutritional value of proteins from edible seaweed *Palmaria palmata* (dulse). *The Journal of Nutritional Biochemistry*. **10** (6): 353–359.
- Gamal-Eldeen, A. M., Amer, H., Helmy, W. A., Talaat, R. M., & Ragab, H. 2007. Chemically-modified polysaccharide extract derived from *Leucaena leucocephala* alters Raw 264.7 murine macrophage functions. *International Immunopharmacology*. **7** (6): 871–878.
- Ganesh, E. A., Das, S., Arun, G., Balamurugan, S. & Raj, R. R. 2009. Heparin like Compound from Green Alga *Chaetomorpha antennina* - as potential anticoagulant agent. *Asian Journal of Medical Sciences*. **1**(3): 114 – 116.
- Ganzon-Fortes, E. T., Trono, G. C., Villanueva, R. D., Romero, J. B. & Montaño, M. N. E. 2012. "Endong", a rare variety of the farmed carrageenophyte *Eucheuma denticulatum* (Burman) Collins & Hervey from the Philippines. *Journal of Applied Phycology*. **24** (5): 1107–1111.
- Gao, C., Mi, Z., Guo, H. & Kuo, P. C. 2007. Osteopontin Regulates Ubiquitin-Dependent Degradation of Stat1 in Murine Mammary Epithelial Tumor Cells. *Neoplasia*. **9** (9): 699–706.
- Garlet, G. P., Horwat, R., Ray Jr, H. L., Garlet, T. P., Silveira, E. M., Campanelli, A. P., Trombone, A. P. F., Letra, A. & Silva, R. M. 2012. Expression Analysis of Wound Healing Genes in Human Periapical Granulomas of Progressive and Stable Nature. *Journal of Endodontics*. **38** (2): 185 - 190.
- Gavino, C. & Trono, J. 1992. *Eucheuma* and *Kappaphycus*: taxonomy and cultivation. *Bulletin of Marine Science Fishing*. **12** (12): 51–65.

- Geisberger, R., Lamers, M. & Achatz, G. 2006. The riddle of the dual expression of IgM and IgD. *Immunology*. **118** (4): 429–437.
- Gerung, G. S. & Ohno, M. 1997. Growth rates of *Eucheuma denticulatum* ( Burman ) Collins et Harvey and *Kappaphycus striatum* ( Schmitz ) Doty under different conditions in warm waters of Southern Japan. *Journal of Applied Phycology*. **9**: 413–415.
- Giancotti, F. G. 1997. Integrin signaling: specificity and control of cell survival and cell cycle progression. *Current Opinion in Cell Biology*. **9** (5): 691–700.
- Gilchrist, T. & Martin, A. M. 1983. Wound treatment with Sorbsan — an alginate fibre dressing. *Biomaterials*. **4** (4): 317–320.
- Gill, H. & Prasad, J. 2008. Probiotics, immunomodulation, and health benefits. *Advances in Experimental Medicine and Biology*. **606**: 423–54.
- Gill, S. E. & Parks, W. C. 2008. Metalloproteinases and their inhibitors: regulators of wound healing. *The International Journal of Biochemistry and Cell Biology*. **40**: 1334 - 1347.
- Glimn-Lacy, J. & Kaufman, P. B. 2006. *Botany Illustrated*. New York: Springer.
- Gómez-Gallego, C., Frias, R., Pérez-Martínez, G., Bernal, M. J., Periago, M. J., Salminen, S., Ros, G. & Collado, M. C. 2014. Polyamine supplementation in infant formula: Influence on lymphocyte populations and immune system-related gene expression in a Balb/cOlaHsd mouse model. *Food Research International*. **59**: 8–15.
- Gómez-Ordóñez, E., Jiménez-Escrig, A. & Rupérez, P. 2010. Dietary fibre and physicochemical properties of several edible seaweeds from the northwestern Spanish coast. *Food Research International*. **43** (9): 2289–2294.
- Gordon, S. & Taylor, P. R. 2005. Monocyte and macrophage heterogeneity. *Nature Reviews Immunology*. **5** (12): 953–964.
- Gravallese, E. M. 2003. Osteopontin: A bridge between bone and the immune system. *Journal of Clinical Investigation*. **112** (2): 147–149.
- Grewal, I. 2009. Overview of TNF superfamily: A chest full of potential therapeutic targets. In Grewal, I. (ed.), *Therapeutic Targets of the TNF Superfamily*, volume 647, pp. 1–7. Springer New York.
- Guan, J. L. 1997. Focal adhesion kinase in integrin signaling. *Matrix Biology*. **16** (4): 195 -200.
- Guiry, M. D. & Guiry, G. M. 2016. *AlgaeBase*. World-wide electronic publication, National University of Ireland. Retrieved from <http://www.algaebase.org>. 26 Jan. 2016.

- Guiry, M. D. 2016. The seaweed site: information on marine algae. Retrieved from [http://www.seaweed.ie.\\_30 Apr. 2016](http://www.seaweed.ie._30 Apr. 2016).
- Gupta, S., Rajauria, G. & Abu-Ghannam, N. 2010. Study of the microbial diversity and antimicrobial properties of Irish edible brown seaweeds. *International Journal of Food Science & Technology*. **45** (3): 482–489.
- Gupta, S. & Abu-Ghannam, N. 2011a. Bioactive potential and possible health effects of edible brown seaweeds. *Trends in Food Science & Technology*. **22** (6): 315–326.
- Gupta, S. & Abu-Ghannam, N. 2011b. Recent developments in the application of seaweeds or seaweed extracts as a means for enhancing the safety and quality attributes of foods. *Innovative Food Science & Emerging Technologies*. **12** (4): 600–609.
- Han, S., Sung, K., Yim, D., Lee, S., Cho, K., Lee, C., Ha, N.J. & Kim, K. 2002. Activation of Murine Macrophage Cell Line RAW 264.7 by Korean Propolis. *Archives of Pharmacal Research*. **25** (6): 895–902.
- Han, S. S. R., Cho, C. K., Lee, Y. W & Yoo, H. S. 2009. Antimetastatic and immunomodulating effect of water extracts from various mushrooms. *Journal of Acupuncture and Meridian Studies*. **2** (3): 218–227.
- Hannier, S. & Triebel, F. 1999. The MHC class II ligand lymphocyte activation gene-3 is co-distributed with CD8 and CD3-TCR molecules after their engagement by mAb or peptide-MHC class I complexes. *International Immunology*. **11** (11): 1745–1752.
- Harnedy, P. A. & FitzGerald, R. J. 2011. Bioactive proteins, peptides, and amino acids from macroalgae. *Journal of Phycology*. **47** (2): 218–232.
- Hart, C. E., Forstrom, J. W., Kelly, J. D., Seifert, R. A., Smith, R. A., Ross, R., Murray, M. J. & Bowen-Pope, D. F. 1988. Two classes of PDGF receptor recognize different isoforms of PDGF. *Science*. **240** (4858): 1529–1531.
- Hayashi, L., Hurtado, A., Msuya, F., Bleicher-Lhoneur, G. & Critchley, A. 2010. A Review of *Kappaphycus* Farming: Prospects and Constraints. In Seckbach, J., Einav, R. & Israel, A. (eds.), *Seaweeds and their Role in Globally Changing Environments volume 15*, pp. 251–283. Springer Netherlands.
- Hellin, A. C., Bentires-Alj, M., Verlaet, M., Benoit, V., Gielen, J., Bours, V. & Merville, M. P. 2000. Roles of Nuclear Factor- $\kappa$ B, p53, and p21/WAF1 in Daunomycin-Induced Cell Cycle Arrest and Apoptosis. *Journal of Pharmacology and Experimental Therapeutics*. **295** (3): 870–878.

- Heo, S. J., Yoon, W. J., Kim, K. N., Ahn, G. N., Kang, S. M., Kang, D. H., Affan, A., Oh, C., Jung, W. K. & Jeon, Y. J. 2010. Evaluation of anti-inflammatory effect of fucoxanthin isolated from brown algae in lipopolysaccharide-stimulated RAW 264.7 macrophages. *Food and Chemical Toxicology*. **48** (8-9): 2045 - 2051.
- Hoesel, B. & Schmid, J. A. 2013. The complexity of NF- $\kappa$ B signaling in inflammation and cancer. *Molecular Cancer*. **12** (1): 1-15.
- Hogg, N., Laschinger, M., Giles, K. & McDowall, A. 2003. T-cell integrins: more than just sticking points. *Journal of Cell Science*. **116**: 4695 - 4705.
- Hohnoki, K., Inoue, A. & Koh, C. S. 1998. Elevated serum levels of IFN- $\gamma$ , IL-4 and TNF- $\alpha$ /unelevated serum levels of IL-10 in patients with demyelinating diseases during the acute stage. *Journal of Neuroimmunology*. **87** (1-2): 27-32.
- Holdt, S. L. & Kraan, S. 2011. Bioactive compounds in seaweed: functional food applications and legislation. *Journal of Applied Phycology*. **23** (3): 543-597.
- Holladay, S. D. & Smialowicz, R. J. 2000. Development of the murine and human immune system: differential effects of immunotoxins depend on time of exposure. *Environmental Health Perspectives*. **108**: 463-473.
- Homma, Y., Takenawa, T., Emori, Y., Sorimachi, H. & Suzuki, K. 1989. Tissue- and cell type-specific expression of mRNAs for four types of inositol phospholipid-specific phospholipase C. *Biochemical and Biophysical Research Communications*. **164** (1): 406-412.
- Hong, D. D., Hien, H. M. & Son, P. N. 2007. Seaweeds from Vietnam used for functional food, medicine and biofertilizer. *Journal of Applied Phycology*. **19** (6): 817-826.
- Hong, M., Wang, X., Wang, L., Hua, Y., Wen, H. & Duan, J. 2011. Screening of immunomodulatory components in Yu-ping-feng-san using splenocyte binding and HPLC. *Journal of Pharmaceutical and Biomedical Analysis*. **54** (1): 87-93.
- Hurtado, A. Q., Critchley, A. T., Trespoey, A. & Bleicher-Lhoneur, G. 2008. Growth and carrageenan quality of *Kappaphycus striatum* var. *sacol* grown at different stocking densities, duration of culture and depth. *Journal of Applied Phycology*. **20** (5): 551-555.
- Hurtado, A., Gerung, G., Yasir, S. & Critchley, A. 2014. Cultivation of tropical red seaweeds in the BIMP-EAGA region. *Journal of Applied Phycology*. **26** (2): 707-718.
- Ikeda, H., Old, L. J. & Schreiber, R. D. 2002. The roles of IFN- $\gamma$  in protection against tumor development and cancer immunoediting. *Cytokine & Growth Factor Reviews*. **13** (2): 95-109.

- Irie, H. Y., Mong, M. S., Itano, A., Crooks, M. E. C., Littman, D. R., Burakoff, S. J. & Robey, E. 1998. The Cytoplasmic Domain of CD8 $\beta$  Regulates Lck Kinase Activation and CD8 T Cell Development. *The Journal of Immunology*. **161** (1): 183 - 191.
- Ishibashi, B. K., Ishitsuka, K., Chuman, Y., Otsuka, M., Kuwazuru, Y., Iwahashi, M., Utsunomiya, A., Hanada, S., Sakurami, T. & Arima, T. 2016. Tumor Necrosis Factor- $\beta$  in the Serum of Adult T-cell Leukemia With Hypercalcemia. *Blood*. **77** (11): 2451-2455.
- Ismail, A. & Tan, S. 2002. Antioxidant activity of selected commercial seaweeds. *Malaysian Journal of Nutrition*. **8** (2): 167–77.
- Janeway Jr., C. A. & Medzhitov, R. 1998. Introduction: The role of innate immunity in the adaptive immune response. In *Seminars in Immunology*, volume 10, pp 349–350. Academic Press.
- Jansson, M., Panoutsakopoulou, V., Baker, J., Klein, L. & Cantor, H. 2002. Cutting Edge: Attenuated Experimental Autoimmune Encephalomyelitis in Eta-1/Osteopontin-Deficient Mice. *The Journal of Immunology*. **168** (5): 2096–2099.
- Jaswir, I., Tawakalit Tope, A.-H., Raus, R. A., Ademola Monsur, H., & Ramli, N. 2014. Study on anti-bacterial potentials of some Malaysian brown seaweeds. *Food Hydrocolloids*. **42**: 275–279.
- Je, J. Y., Park, P. J., Kim, E. K., Park, J. S., Yoon, H. D., Kim, K. R., & Ahn, C. B. 2009. Antioxidant activity of enzymatic extracts from the brown seaweed *Undaria pinnatifida* by electron spin resonance spectroscopy. *Food Science and Technology*. **42** (4): 874–878.
- Jiao, L., Jiang, P., Zhang, L. & Wu, M. 2010. Antitumor and immunomodulating activity of polysaccharides from *Enteromorpha intestinalis*. *Biotechnology and Bioprocess Engineering*. **15** (3): 421–428.
- Johnson, G. A., Burghardt, R. C. & Bazer, F. W. 2014. Osteopontin: a leading candidate adhesion molecule for implantation in pigs and sheep. *Journal of Animal Science and Biotechnology*. **5** (56): 1-14.
- Johnson, G. A., Burghardt, R. C., Bazer, F. W. & Spencer, T. E. 2003. Osteopontin: Roles in Implantation and Placentation. *Biology of Reproduction*. **69** (5): 1458–1471.
- Johnston, G. R. & Webster, N. R. (2009). Cytokines and the immunomodulatory function of the vagus nerve. *British Journal of Anaesthesia*. **102** (4): 453–462.

- Kalland, M. E., Oberprieler, N. G., Vang, T., Taskén, K. & Torgersen, K. M. 2011. T cell-signaling network analysis reveals distinct differences between CD28 and CD2 costimulation responses in various subsets and in the MAPK pathway between resting and activated regulatory T cells. *Journal of Immunology*. **187** (10): 5233–45.
- Kang, S. R., Han, D. Y., Park, K. I., Park, H. S., Cho, Y. B., Lee, H. J., Lee, W. S., Ryu, C. H., Ha, Y. L., Lee, D. H., Kim, J. A. & Kim, G. S. 2011. Suppressive Effect on Lipopolysaccharide-Induced Proinflammatory Mediators by *Citrus aurantium* L. in Macrophage RAW 264.7 Cells via NF-κB Signal Pathway. *Evidence-Based Complementary and Alternative Medicine*. 1-12.
- Karin, M. & Delhase, M. 1998. JNK or IKK, AP-1 or NF-kappaB, which are the targets for MEK kinase 1 action? *Proceedings of the National Academy of Sciences of the United States of America*. **95** (16): 9067–9069.
- Karnjanapratum, S., Tabarsa, M., Cho, M. & You, S. 2012. Characterization and immunomodulatory activities of sulfated polysaccharides from *Capsosiphon fulvescens*. *International Journal of Biological Macromolecules*. **51** (5): 720 - 729.
- Kavurma, M. M. & Khachigian, L. M. 2003. Signaling and transcriptional control of Fas ligand gene expression. *Cell Death and Differentiation*. **10** (1): 36 - 44.
- Khan, A. R., Hams, E., Floudas, A., Sparwasser, T., Weaver, C. T. & Fallon, P. G. (2015). PD-L1<sup>H</sup> B cells are critical regulators of humoral immunity. *Nature Communications*. 1 - 16.
- Kidd, P. 2003. Th1/Th2 balance: The hypothesis, its limitations, and implications for health and disease. *Alternative Medicine Review*. **8** (3): 223 - 246.
- Kim, E. H. & Suresh, M. 2013. Role of PI3K/Akt signaling in memory CD8 T cell differentiation. *Frontiers in Immunology*. **4** (20): 1 - 11.
- Kim, H. J., Park, G. M. & Kim, J. K. 2013. Anti-inflammatory effect of pristimerin on lipopolysaccharide-induced inflammatory responses in murine macrophages. *Archives of Pharmacal Research*. **36** (4): 495 - 500.
- Kim, J. K., Cho, M. L., Karnjanapratum, S., Shin, I. S. & You, S. G. 2011. *In vitro* and *in vivo* immunomodulatory activity of sulfated polysaccharides from *Enteromorpha prolifera*. *International Journal of Biological Macromolecules*. **49**(5): 1051–1058.
- Kim, J., Erikson, D. W., Burghardt, R. C., Spencer, T. E., Wu, G., Bayless, K. J., Johnson, G. A. & Bazer, F. W. 2010. Secreted phosphoprotein 1 binds integrins to initiate multiple cell signaling pathways, including FRAP1/mTOR, to support attachment and force-generated migration of trophectoderm cells. *Matrix Biology*. **29** (5): 369 - 382.

- Kim, T. H., Lee, S. J., Rim, H. K., Shin, J. S., Jung, J. Y., Heo, J. S., Kim, J. B., Lee, M. S. & Lee, K. T. 2013. *In vitro* and *in vivo* immunostimulatory effects of hot water extracts from the leaves of *Artemisia princeps* Pampanini cv. Sajabal. *Journal of Ethnopharmacology.* **149** (1): 254–262.
- Kirjavainen, P. V, Apostolou, E., Salminen, S. J. & Isolauri, E. 1999. New aspects of probiotics - a novel approach in the management of food allergy. *Allergy.* 909 - 915.
- Kirstetter, P., Anderson, K., Porse, B. T., Jacobsen, S. E. W. & Nerlov, C. 2006. Activation of the canonical Wnt pathway leads to loss of hematopoietic stem cell repopulation and multilineage differentiation block. *Nature Immunology.* **7** (10): 1048–1056.
- Klotz, L. O., Pellieux, C., Brivida, K., Pierlot, C., Aubry, J. M. & Sies, H. 1999. Mitogen-activated protein kinase (p38-, JNK,-ERK-) activation pattern induced by extracellular and intracellular singlet oxygen and UVA. *European Journal of Biochemistry.* **260**: 917–922.
- Kondo, M. 2010. Lymphoid and myeloid lineage commitment in multipotent hematopoietic progenitors. *Immunological Reviews.* **238** (1): 37–46.
- Kraan, S. 2012. Algal Polysaccharides , novel Applications and outlook. Intech Open Access Publisher.
- Krishnaiah, D., Sarbatly, R., Prasad, D. M. & Bono, A. 2008. Mineral content of some seaweeds from Sabah's South China Sea. *Asian Journal of Scientific Research.* **1** (2): 166–170.
- Kuda, T., Hishi, T. & Maekawa, S. 2006. Antioxidant properties of dried product of "haba-nori", an edible brown alga, *Petalonia binghamiae* (J. Agaradh) Vinogradova. *Food Chemistry.* **98** (3): 545–550.
- Kuda, T., Tsunekawa, M., Goto, H. & Araki, Y. 2005. Antioxidant properties of four edible algae harvested in the Noto Peninsula, Japan. *Journal of Food Composition and Analysis.* **18** (7): 625–633.
- Kumar, C. C. (1998). Signaling by integrin receptors. *Oncogene.* **17**: 1365–1373.
- Kumar, V. & Kaladharan, P. 2007. Amino acids in the seaweeds as an alternate source of protein for animal feed. *Journal of the Marine Biological Association of India.* **49** (1): 35 - 40.
- Kumari, P., Kumar, M., Gupta, V., Reddy, C. R. K. & Jha, B. 2010. Tropical marine macroalgae as potential sources of nutritionally important PUFAs. *Food Chemistry.* **120** (3): 749–757.
- Kurosaki, T., Kometani, K., & Ise, W. (2015). Memory B cells. *Nature Reviews Immunology.* **15** (3): 149–159.

- Kurosawa, T., Yamada, A., Takami, M., Suzuki, D., Saito, Y., Hiranuma, K., Enomoto, T., Morimura, N., Yamamoto, M., Iijima, T., Shirota, T., Itabe, H. & Kamijo, R. 2015. Expression of nephronectin is inhibited by oncostatin M via both JAK/STAT and MAPK pathways. *FEBS Open Bio.* **5**: 303 - 307.
- Kyo, E., Uda, N., Suzuki, A., Kakimoto, M., Ushijima, M., Kasuga, S. & Itakura, Y. 1998. Immunomodulation and antitumor activities of Aged Garlic Extract. *Phytomedicine.* **5** (4): 259 - 267.
- Lange, K. W., Hauser, J., Nakamura, Y. & Kanaya, S. 2015. Dietary seaweeds and obesity. *Food Science and Human Wellness.* **4** (3): 87 - 96.
- Lee, H. & Ferguson, T. A. 2003. Biology of FasL. *Cytokine & Growth Factor Reviews.* **14** (3-4): 325-335.
- Lee, K. Y. & Mooney, D. J. 2012. Alginate: Properties and biomedical applications. *Progress in Polymer Science.* **37** (1): 106–126.
- Lee, M. H., Lee, J. M., Jun, S. H., Lee, S. H., Kim, N. W., Lee, J. H., Ko, N. Y., Mun, S. H., Kim, B. K., Lim, B. O., Choi, D. K. & Choi, W. S. 2007. The anti-inflammatory effects of *Pyrolae herba* extract through the inhibition of the expression of inducible nitric oxide synthase (iNOS) and NO production. *Journal of Ethnopharmacology.* **112** (1): 49–54.
- Leiro, J. M., Castro, R., Arranz, J. A. & Lamas, J. 2007. Immunomodulating activities of acidic sulphated polysaccharides obtained from the seaweed *Ulva rigida* C. Agardh. *International Immunopharmacology.* **7** (7): 879 - 888.
- Leuchtenberger, W., Huthmacher, K. & Drauz, K. 2005. Biotechnological production of amino acids and derivatives: current status and prospects. *Applied Microbiology and Biotechnology.* **69** (1): 1–8.
- Li, H., Chang, L., Du, W. W., Gupta, S., Khorshidi, A., Sefton, M. & Yang, B. B. 2014. Anti-microRNA-378a Enhances Wound Healing Process by Upregulating Integrin Beta-3 and Vimentin. *Molecular Therapy.* **22** (10): 1839–1850.
- Li, Q. J., Dinner, A. R., Qi, S., Irvine, D. J., Huppa, J. B., Davis, M. M. & Chakraborty, A. K. 2004. CD4 enhances T cell sensitivity to antigen by coordinating Lck accumulation at the immunological synapse. *Nature Immunology.* **5** (8): 791 – 799.
- Li, W. Q., Dehnade, F. & Zafarullah, M. 2001. Oncostatin M-induced matrix metalloproteinase and tissue inhibitor of metalloproteinase-3 genes expression in chondrocytes requires Janus kinase/STAT signaling pathway. *Journal of Immunology.* **166**(5): 3491 - 3498.
- Liang, J. & Slingerland, J. M. 2003. Multiple Roles of the PI3K/PKB (Akt) Pathway in Cell Cycle Progression. *Cell Cycle.* **2** (4): 336 - 342.

- Lim, S. J., Wan Aida, W. M., Maskat, M. Y., Mamot, S., Ropien, J. & Mazita M. D. 2014. Isolation and antioxidant capacity of fucoidan from selected Malaysian seaweeds. *Food Hydrocolloids*. **42**: 280 - 288.
- Linder, C. C. & Davisson, M. T. 2004. Strains, Stocks, and Mutant Mice. In Linder, C. C. & Davisson, M. T. (eds). *The laboratory mouse* pp 25 - 46. London: Academic Press.
- Liu, C., Xi, T., Lin, Q., Xing, Y., Ye, L., Luo, X., and Wang, F. 2008. Immunomodulatory activity of polysaccharides isolated from *Strongylocentrotus nudus* eggs. *International Immunopharmacology*. **8**: 1835 – 1841.
- Liu, L., Heinrich, M., Myers, S. & Dworjanyn, S. A. 2012. Towards a better understanding of medicinal uses of the brown seaweed *Sargassum* in Traditional Chinese Medicine: A phytochemical and pharmacological review. *Journal of Ethnopharmacology*. **142** (3): 591 - 619.
- Liu, S., Luo, X., Li, D., Zhang, J., Qiu, D., Liu, W., She, L. & Yang, Z. 2006. Tumor inhibition and improved immunity in mice treated with flavone from *Cirsium japonicum* DC. *International Immunopharmacology*. **6** (9): 1387 - 1393.
- Li-Weber, M. & Krammer, P. H. 2003. Regulation of IL4 gene expression by T cells and therapeutic perspectives. *Nature Reviews Immunology*. **3** (7): 534 - 543.
- LoPiccolo, J., Blumenthal, G. M., Bernstein, W. B. & Dennis, P. A. 2008. Targeting the PI3K/Akt/mTOR pathway: Effective combinations and clinical considerations. *Drug Resistance Updates*. **11** (1-2): 32 - 50.
- Love, P. E. & Hayes, S. M. 2010. ITAM-mediated Signaling by the T-Cell Antigen Receptor. *Cold Spring Harbor Perspectives in Biology*. **2** (6): 1 - 11.
- Lu, J., Guan, S., Shen, X., Qian, W., Huang, G., Deng, X. & Xie, G. 2011. Immunosuppressive activity of 8-gingerol on immune responses in mice. *Molecules*. **16** (3): 2636 - 2645.
- Luckheeram, R. V., Zhou, R., Verma, A. D. & Xia, B. 2012. CD4+T Cells: Differentiation and Functions. *Clinical and Developmental Immunology*. 1–12.
- Lund, F. E. & Randall, T. D. 2010. Effector and regulatory B cells: modulators of CD4+ T cell immunity. *Nature Reviews Immunology*. **10** (4): 236–247.
- Mabeau, S. & Fleurence, J. 1993. Seaweed in food products: biochemical and nutritional aspects. **4**: 927 - 929
- MacArtain, P., Gill, C. I. R., Brooks, M., Campbell, R. & Rowland, I. R. 2007. Nutritional value of edible seaweeds. *Nutrition Reviews*. **65**: 535 - 543.

- Macian, F. 2005. NFAT proteins: key regulators of T-cell development and function. *Nature Reviews Immunology*. **5** (6): 472 - 484.
- Macián, F., López-Rodríguez, C. & Rao, A. 2001. Partners in transcription: NFAT and AP-1. *Oncogene*. **20** (19): 2476–2489.
- Maes, M., Kubera, M. & Leunis, J. 2008. The gut-brain barrier in major depression : Intestinal mucosal dysfunction with an increased translocation of LPS from gram negative enterobacteria (leaky gut) plays a role in the inflammatory pathophysiology of depression. **29** (1): 117 - 124.
- Maggi, E., Parronchi, P., Manetti, R., Simonelli, C., Piccinni, M. P., Rugiu, F. S., Carli, D. M., Ricci, M. & Romagnani, S. 1992. Reciprocal regulatory effects of IFN-gamma and IL-4 on the *in vitro* development of human Th1 and Th2 clones. *The Journal of Immunology*. **148** (7): 2142 - 2147.
- Malissen, B., Aguado, E., & Malissen, M. 2005. Role of the LAT Adaptor in T-Cell Development and Th2 Differentiation. *Advances in Immunology*. **87**: 1 - 25.
- Masihi, K. N. 2000. Immunomodulators in infectious diseases: panoply of possibilites. *International Journal of Immunopharmacology*. **22** (12): 1083 - 1091.
- Massey, R. C. 1997. Estimation of daily intake of food preservatives. *Food Chemistry*. **60** (2): 177 - 185.
- Matanjun, P., Mohamed, S., Mustapha, N. M., & Muhammad, K. 2009. Nutrient content of tropical edible seaweeds, *Eucheuma cottonii*, *Caulerpa lentillifera* and *Sargassum polycystum*. *Journal of Applied Phycology*. **21** (1): 75 - 80.
- Matanjun, P., Mohamed, S., Mustapha, N. M., Muhammad, K. & Ming, C. H. 2008. Antioxidant activities and phenolics content of eight species of seaweeds from north Borneo. *Journal of Applied Phycology*. **20** (4): 367–373.
- Matou, S., Helley, D., Chabut, D., Bros, A. & Fischer, A. M. 2002. Effect of fucoidan on fibroblast growth factor-2-induced angiogenesis in vitro. *Thrombosis Research*. **106**: 213 - 221.
- McGuire, H. M., Walters, S., Vogelzang, A., Lee, C. M. Y., Webster, K. E., Sprent, J., Christ, D., Grey, S. & King, C. 2011. Interleukin-21 is critically required in autoimmune and allogeneic responses to islet tissue in murine models. *Diabetes*. **60** (3): 867 - 875.
- McHugh, D. J. 2003. A guide to the seaweed industry. *Fisheries and Aquaculture Technical Paper*. **441**: 1 - 118.
- Meager, A., & Wadhwa, M. 2001. An Overview of Cytokine Regulation of Inflammation and Immunity. In *eLS*. United Kingdom: John Wiley & Sons.

- Medyouf, H. & Ghysdael, J. 2008. The calcineurin/NFAT signaling pathway: A novel therapeutic target in leukemia and solid tumors. *Cell Cycle*. **7** (3): 297–303.
- Medzhitov, R. & Janeway Jr, C. A. 1997. Innate immunity: impact on the adaptive immune response. *Current Opinion in Immunology*. **9** (1): 4 - 9.
- Medzhitov, R. 2001. Toll-like receptors and innate immunity. *Nature Reviews Immunology*. **1** (2): 135 - 145.
- Menzel, D. 1994. Cell Architecture and Cellular Morphogenesis of Eukariotic Algae (Chlorophyta). In Behnke, H. D. Lüttge, U., Esser, K., Kadereit, J. & Runge M. (eds.). *Progress in Botany, volume 55*, pp. 1–38. Berlin Heidelberg: Springer.
- Mitra, S. K., Hanson, D. A. & Schlaepfer, D. D. 2005. Focal adhesion kinase: in command and control of cell motility. *Nature Review of Molecular Cell Biology*. **6** (1): 56 - 68.
- Mohamed, S., Hashim, S. N. & Rahman, H. A. 2012. Seaweeds: A sustainable functional food for complementary and alternative therapy. *Trends in Food Science & Technology*. **23** (2): 83 - 96.
- Morrison, D. K. 2012. MAP kinase pathways. *Cold Spring Harbor Perspectives in Biology*. **4** (11): 1 - 6.
- Mosmann, T. R., Li, L. & Sad, S. 1997. Functions of CD8 T-cell subsets secreting different cytokine patterns. *Seminars in Immunology*. **9** (2): 87 - 92.
- Murata, M. & Nakazoe, J. 2001. Production and use of marine algae in Japan. *Japan Agricultural Research Quarterly*. **35** (4): 281 -290.
- Na, Y. S., Kim, W. J., Kim, S. M., Park, J. K., Lee, S. M., Kim, S. O., Synytsya, A. & Park, Y. I. 2010. Purification, characterization and immunostimulating activity of water-soluble polysaccharide isolated from *Capsosiphon fulvescens*. *International Immunopharmacology*. **10** (3): 364 - 370.
- Nathan, K. 1992. Nitric oxide as a secretory product of mammalian cells. *The Official Journal of the Federation of American Society for Experimental Biology*. **6**: 3051–3064.
- Nedeau, A. E., Bauer, R. J., Gallagher, K., Chen, H., Liu, Z. J. & Velazquez, O. C. 2008. A CXCL5- and bFGF-dependent effect of PDGF-B-activated fibroblasts in promoting trafficking and differentiation of bone marrow-derived mesenchymal stem cells. *Experimental Cell Research*. **314** (11–12): 2176 - 2186.
- Negishi, H., Mori, M., Mori, H., & Yamori, Y. 2013. Supplementation of elderly Japanese men and women with fucoidan from seaweed increases immune responses to seasonal influenza vaccination. *The Journal of Nutrition*. 1794 - 1798.

- Nel, A. E. & Slaughter, N. 2002. T-cell activation through the antigen receptor. Part 2: Role of signaling cascades in T-cell differentiation, anergy, immune senescence, and development of immunotherapy. *Journal of Allergy and Clinical Immunology*. **109** (6): 901 - 915.
- Nel, A. E. 2002. T-cell activation through the antigen receptor. Part 1: Signaling components, signaling pathways, and signal integration at the T-cell antigen receptor synapse. *Journal of Allergy and Clinical Immunology*. **109** (5): 758-770.
- Nelson Jr, R. P. & Ballow, M. 2003. Immunomodulation and immunotherapy: Drugs, cytokines, cytokine receptors, and antibodies. *Journal of Allergy and Clinical Immunology*. **111** (2): 720 - 732.
- Nguyen, V. T., Ueng, J. P., & Tsai, G. J. 2011. Proximate composition, total phenolic content, and antioxidant activity of seagrape (*Caulerpa lentillifera*). *Journal of Food Science*. **76** (7): 950 - 958.
- Norte, L., Orbita, M. L. S., & Arnaiz, J. A. 2014. Seasonal changes in growth rate and carrageenan yield of *Kappaphycus alvarezii* and *Kappaphycus striatum* (Rhodophyta, Gigartinales) cultivated in Kolambungan, Lanao del Norte. *Advances in Agriculture and Botanics - International Journal of the Bioflux Society*. **6** (2): 134 - 144.
- Norziah, M. H. & Ching, C. Y. 2000. Nutritional composition of edible seaweed *Gracilaria changgi*. *Food Chemistry*. **68** (1): 69 - 76.
- Nosálová, G., Prisenžňáková, L., Paulovičová, E., Capek, P., Matulová, M., Navarini, L. & Liverani, F. S. 2011. Antitussive and immunomodulating activities of instant coffee arabinogalactan-protein. *International Journal of Biological Macromolecules*. **49** (4): 493 - 497.
- O'Shea, J. J. & Plenge, R. 2012. JAK and STAT Signaling Molecules in Immunoregulation and Immune-Mediated Disease. *Immunity*. **36**(4): 542 - 550.
- Oeckinghaus, A. & Ghosh, S. 2009. The NF-κB family of transcription factors and its regulation. *Cold Spring Harbor Perspectives in Biology*. **1**(4): 1 - 14.
- Oeckinghaus, A., Hayden, M. S. & Ghosh, S. 2011. Crosstalk in NF-κB signaling pathways. *Nature Immunology*. **12** (8): 695 - 708.
- Okai, Y., Higashi-okai, K., Ishizaka, S., Ohtani, K., Matsui-Yuasa, I. & Yamashita, U. 1998. Possible Immunomodulating Activities in an Extract of Edible Brown Alga , *Hijikia fusiforme* (Hijiki). *Journal of the Science of Food and Agriculture*. **4**: 56 - 62.

- Ortega-Calvo, J. J., Mazuelos, C., Hermosin, B. & Saiz-Jimenez, C. 1993. Chemical composition of Spirulina and eukaryotic algae food products marketed in Spain. *Journal of Applied Phycology*. **5** (4): 425 - 435.
- Pádua, D., Rocha, E., Gargiulo, D. & Ramos, A. A. 2015. Bioactive compounds from brown seaweeds: Phloroglucinol, fucoxanthin and fucoidan as promising therapeutic agents against breast cancer. *Phytochemistry Letters*. **14**: 91–98.
- Pagliarone, A. C., Missima, F., Orsatti, C. L., Bachiega, T. F. & Sforcin, J. M. 2009. Propolis effect on Th1/Th2 cytokines production by acutely stressed mice. *Journal of Ethnopharmacology*. **125** (2): 230 - 233.
- Paludan, S. R. 1998. Interleukin-4 and Interferon- $\gamma$ : The Quintessence of a Mutual Antagonistic Relationship. *Scandinavian Journal of Immunology*. **48** (5): 459 - 468.
- Parks, W. C., Wilson, C. L. & Lopez-Boado, Y. S. 2004. Matrix metalloproteinases as modulators of inflammation and innate immunity. *Nature Reviews Immunology*. **4** (8): 617 - 629.
- Parsons, J. T. 2003. Focal adhesion kinase: the first ten years. *Journal of Cell Science*, **116**: 1409–1416.
- Passa, O., Tsalavos, S., Belyaev, N. N., Petryk, A., Potocnik, A. J. & Graf, D. 2011. Compartmentalization of bone morphogenetic proteins and their antagonists in lymphoid progenitors and supporting microenvironments and functional implications. *Immunology*. **134** (3): 349 - 359.
- Patarra, R. F., Paiva, L., Neto, A. I., Lima, E. & Baptista, J. 2010. Nutritional value of selected macroalgae. *Journal of Applied Phycology*. **23** (2): 205 - 208.
- Patra, J. K., Rath, S. K. & Jena, K. 2008. Evaluation of antioxidant and antimicrobial activity of seaweed (*Sargassum* sp.) extract: a study on inhibition of glutathione-s-transferase activity. *Turkish Journal of Biology*. **32**: 119 - 125.
- Peakman, M., Dayan, C. M. & Thomas, S. 2001. Antigen-specific immunotherapy for autoimmune disease: fighting fire with fire? *Immunology*. **104**: 361 - 366.
- Peasura, N., Laohakunjit, N., Kerdchoechuen, O., Vongsawasdi, P. & Chao, L. K. 2016. Assesment of biochemical and immunomodulatory activity of sulphated polysaccharides from *Ulva intestinalis*. *International Journal of Biological Macromolecules*. **91**: 269-277.
- Pereira, L. 2012. *A review of the nutrient composition of selected edible seaweeds. Seaweed Ecology, Nutrient Composition and Medicinal Uses*. 15-47.
- Phang, S. M. 2006. Seaweed resources in Malaysia: Current status and future prospects. *Aquatic Ecosystem Health & Management*. **9** (2): 185 - 202.

- Phang, S. M. 2010. Potential products from tropical algae and seaweeds, especially with reference to Malaysia. *Malaysian Journal of Science*. **29** (2): 160 - 166.
- Phang, S. M., Keng, F. S., Paramjeet-kaur, M. S., Rahman, N. A., Leedham, E. C., Robinson, A. D., Harris, N. R. P., Pyle, J. A. & Sturges, W. T. 2015. Can seaweed farming in the tropics contribute to climate change through emission of short-lived halocarbons? *Malaysian Journal of Science*. **34** (1): 8 - 19.
- Phang, S. M., Lim, P. E. & Yeong, H. Y. 2010a. Malaysian seaweed resources in the South China Sea and their potential economic and ecological applications. *Journal of Science and Technology in the Tropics*. **6**: 87-109.
- Phang, S. M., Yeong, H. Y., Lim, P. E., Nor, A. R. M. & Gan, K. T. 2010b. Commercial varieties of *Kappaphycus* and *Eucheuma* in Malaysia. *Malaysian Journal of Science*. **29** (3): 214 - 224.
- Pieper, K., Grimbacher, B. & Eibel, H. 2013. B-cell biology and development. *Journal of Allergy and Clinical Immunology*. **131** (4): 959 - 971.
- Pierce, G. F., Tarpley, J. E., Allman, R. M., Goode, P. S., Serdar, C. M., Morris, B., Mustoe, T. A. & Berg, V. J. 1994. Tissue repair processes in healing chronic pressure ulcers treated with recombinant platelet-derived growth factor BB. *The American Journal of Pathology*. **145** (6): 1399 - 1410.
- Pierce, G. F., Tarpley, J. E., Tseng, J., Bready, J., Chang, D., Kenney, W. C., Rudolph, R., Robson, M. C., Berg, J. V., Reid, P., Kaufman, S. & Farrell, C. L. 1995. Detection of platelet-derived growth factor (PDGF)-AA in actively healing human wounds treated with recombinant PDGF-BB and absence of PDGF in chronic nonhealing wounds. *Journal of Clinical Investigation*. **96** (3): 1336 - 1350.
- Pirofski, L. & Casadevall, A. 2006. Immunomodulators as an antimicrobial tool. *Current Opinion in Microbiology*. **9** (5): 489 - 495.
- Poli, A., Michel, T., Thérésine, M., Andrès, E., Hentges, F. & Zimmer, J. 2009. CD56<sup>bright</sup> natural killer (NK) cells: an important NK cell subset. *Immunology*. **126** (4): 458 - 465.
- Polli, J. E. 2008. *In vitro* studies are sometimes better than conventional human pharmacokinetic *in vivo* studies in assessing bioequivalence of immediate-release solid oral dosage forms. *American Association of Pharmaceutical Scientists Journal*. **10**: 289-299.
- Qi, M. & Elion, E. A. 2005. MAP kinase pathways. *Journal of Cell Science*. **118** (16): 3569 - 3572.

- Radulovich, R., Umanzor, S., Cabrera, R. & Mata, R. 2015. Tropical seaweeds for human food, their cultivation and its effect on biodiversity enrichment. *Aquaculture*. **436**: 40 - 46.
- Radvanyi, L. G., Shi, Y., Vaziri, H., Sharma, A., Dhala, R., Mills, G. B. & Miller, R. G. 1996. CD28 costimulation inhibits TCR-induced apoptosis during a primary T cell response. *The Journal of Immunology*. **156** (5): 1788 - 1798.
- Raghavendran, H. R. B., Sathivel, A. & Devaki, T. 2004. Efficacy of brown seaweed hot water extract against HCl-ethanol induced gastric mucosal injury in rats. *Archives of Pharmacal Research*. **27** (4): 449 - 453.
- Rangaswami, H., Bulbule, A. & Kundu, G. C. 2006. Osteopontin: role in cell signaling and cancer progression. *Trends in Cell Biology*. **16** (2): 79 - 87.
- Rao, A. 2009. Signaling to gene expression: calcium, calcineurin and NFAT. *Nature Immunology*. **10** (1): 3 - 5.
- Rao, P. V. S., Mantri, V. A. & Ganesan, K. 2007. Mineral composition of edible seaweed *Porphyra vietnamensis*. *Food Chemistry*. **102** (1): 215 - 218.
- Rathmell, J. C., Cooke, M. P., Ho, W. Y., Grein, J., Townsend, S. E., Davis, M. M. & Goodnow, C. C. 1995. CD95 (Fas)-dependent elimination of self-reactive B cells upon interaction with CD4+T cells. *Nature*. **376** (6536): 181 - 184.
- Refojo, D., Kovalovsky, D., Young, J. I., Rubinstein, M., Holsboer, F., Reul, J. M. H. M., Low, M. J. & Arzt, E. 2002. Increased splenocyte proliferative response and cytokine production in  $\beta$ -endorphin-deficient mice. *Journal of Neuroimmunology*. **131** (1-2): 126 - 134.
- Rimbach, G., Valacchi, G., Canali, R. & Virgili, F. 2000. Macrophages Stimulated with IFN- $\gamma$  Activate NF- $\kappa$ B and Induce MCP-1 Gene Expression in Primary Human Endothelial Cells. *Molecular Cell Biology Research Communications*. **3**(4): 238 - 242.
- Rinaudo, M. 2007. Seaweed Polysaccharides. *Comprehensive Glycoscience*. 2: 691 - 735.
- Roberfroid, M. 2002. Functional food concept and its application to prebiotics. *Digestive and Liver Disease*. **34**: 105 - 110.
- Robertson, M. J. & Ritz, J. 1990. Biology and clinical relevance of human natural killer cells. *Blood*. **76** (12): 2421 - 2438.
- Roose, J. P., Mollenauer, M., Gupta, V. A., Stone, J. & Weiss, A. 2005. A Diacylglycerol-Protein Kinase C-RasGRP1 Pathway Directs Ras Activation upon Antigen Receptor Stimulation of T Cells A Diacylglycerol-Protein Kinase C-RasGRP1 Pathway Directs Ras Activation upon Antigen Receptor Stimulation of T Cells. *Molecular and Cellular Biology*. **25** (11): 4426 - 4441.

- Rudd, C. E., Taylor, A. & Schneider, H. 2009. CD28 and CTLA-4 coreceptor expression and signal transduction. *Immunological Reviews*. **229** (1): 12 - 26.
- Ruddle, N. H. 1992. Tumor necrosis factor (TNF- $\alpha$ ) and lymphotoxin (TNF- $\beta$ ). *Current Opinion in Immunology*. **4** (3): 327 - 332.
- Ruth, P. B. M. & Donnie, R. A. J. 2012. Comparative Immunomodulatory Activity of *Ascaris Suum* Eggs and *Dermatophagoides pteronyssinus* extract in Balb/c mice: cytokine and immunoglobulin regulations. *Journal of Allergy Therapy*. **3**: 1-9.
- Sade, A., Ali, I. & Ariff, M. M. R. 2006. The seaweed industry in Sabah. *Journal of Southeast Asian Studies*. **11**: 97 - 107.
- Sahoo, D., Tang, X. & Yarish, C. 2002. Porphyra – the economic seaweed as a new experimental system. *Current Science*. **83** (11): 579 - 582.
- Saito, T. & Yamasaki, S. 2003. Negative feedback of T cell activation through inhibitory adapters and costimulatory receptors. *Immunological Reviews*. **192** (1): 143 - 160.
- Salvador, J. M., Mittelstadt, P. R., Guszczynski, T., Copeland, T. D., Yamaguchi, H., Appella, E., Fornace Jr., A. J. & Ashwell, J. D. (2005). Alternative p38 activation pathway mediated by T cell receptor-proximal tyrosine kinases. *Nature Immunology*. **6** (4): 390 - 395.
- Sánchez-Machado, D. I., López-Cervantes, J., López-Hernández, J. & Paseiro-Losada, P. 2004. Fatty acids, total lipid, protein and ash contents of processed edible seaweeds. *Food Chemistry*. **85** (3): 439 - 444.
- Sá-Nunes, A., Faccioli, L. H. & Sforcin, J. M. 2003. Propolis: lymphocyte proliferation and IFN- $\gamma$  production. *Journal of Ethnopharmacology*. **87** (1): 93 - 97.
- Sarhan, M. A. A., Shati, A. A. & Elsaid, F. G. 2014. Biochemical and molecular studies on the possible influence of the *Brassica oleracea* and *Beta vulgaris* extracts to mitigate the effect of food preservatives and food chemical colorants on albino rats. *Saudi Journal of Biological Sciences*. **21** (4): 342 - 354.
- Saroj, P., Verma, M. & Jha, K. K. 2012. An overview on immunomodulation. *Journal of Advanced Scientific Research*. **3** (1): 7 - 12.
- Scatena, M., Almeida, M., Chaisson, M. L., Fausto, N., Nicosia, R. F. & Giachelli, C. M. 1998. NF- $\kappa$ B Mediates ov $\beta$ 3 Integrin-induced Endothelial Cell Survival. *The Journal of Cell Biology*. **141** (4): 1083 - 1093.

- Scatena, M., Liaw, L., & Giachelli, C. M. 2007. Osteopontin: A Multifunctional Molecule Regulating Chronic Inflammation and Vascular Disease. *Arteriosclerosis, Thrombosis, and Vascular Biology*. **27** (11): 2302 - 2309.
- Schenten, D., & Medzhitov, R. 2011. The Control of Adaptive Immune Responses by the Innate Immune System. In Alt, F. W., Austen, K. F., Honjo, T., Melchers, F., Uhr, J. W. & Unanue, E. R. (eds). *Advances in Immunology, volume 109*, pp. 87 - 124. Netherlands: Academic Press.
- Schindler, C., Levy, D. E. & Decker, T. 2007. JAK-STAT signaling: From interferons to cytokines. *Journal of Biological Chemistry*. **282** (28): 20059 - 20063.
- Schlaepfer, D. D., Hanks, S. K., Hunter, T. & Geer, P. V. D. 1994. Integrin-mediated signal transduction linked to Ras pathway by GRB2 binding to focal adhesion kinase. *Nature*. **372**: 786 - 791.
- Schmitz, M. L. 2003. NF- B activation pathways induced by T cell costimulation. *The Official Journal of the Federation of American Society for Experimental Biology*. **17** (15): 2187 - 2193.
- Schwartz, M. A. & Ginsberg, M. H. 2002. Networks and crosstalk: integrin signalling spreads. *Nature Cell Biology*. **4** (4): 65 - 68.
- Schwentker, A., Vodovotz, Y., Weller, R. & Billiar, T. R. 2002. Nitric oxide and wound repair: role of cytokines? *Nitric Oxide: Biology and Chemistry*. **7**(1): 1-10.
- Seckbach, J. & Chapman, D. J. 2010. *Red algae in the genomic age*. New York: Springer.
- Selvam, G. G. & Sivakumar, K. 2014. Influence of seaweed extract as an organic fertilizer on the growth and yield of *Arachis hypogea* L. and their elemental composition using SEM-Energy Dispersive Spectroscopic analysis. *Asian Pacific Journal of Reproduction*. **3** (1): 18 - 22.
- Serra, A. T., Matias, A. A., Nunes, A. V. M., Leitão, M. C., Brito, D., Bronze, R., Silva, S., Pires, A., Crespo, M. T., Romão, M. V. S. & Duarte, C. M. 2008. *In vitro* evaluation of olive- and grape-based natural extracts as potential preservatives for food. *Innovative Food Science and Emerging Technologies*. **9** (3): 311 - 319.
- Shan, B. E., Yoshida, Y., Kuroda, E. & Yamashita, U. 1999. Immunomodulating activity of seaweed extract on human lymphocytes *in vitro*. *International Journal of Immunopharmacology*. **21** (1): 59 - 70.
- Shan, B., Cai, Y. Z., Brooks, J. D. & Corke, H. 2007. The *in vitro* antibacterial activity of dietary spice and medicinal herb extracts. *International Journal of Food Microbiology*. **117** (1): 112 - 119.

- Shanker, A. 2010. Adaptive control of innate immunity. *Immunology Letters*. **131** (2): 107 - 112.
- Sherr, C. J. & Roberts, J. M. 1999. CDK inhibitors: positive and negative regulators of G1-phase progression. *Genes & Development*. **13** (901): 1501 - 1512.
- Singh, D., Singh, A. & Singh, R. 2015. Polyvinyl pyrrolidone/carrageenan blend hydrogels with nanosilver prepared by gamma radiation for use as an antimicrobial wound dressing. *Journal of Biomaterials Science, Polymer Edition*. **26** (17): 1269 - 285.
- Siriwardhana, N., Lee, K. & Jeon, Y. 2005. Radical scavenging potential of hydrophilic phlorotannins of *Hizikia fusiformis*. **20** (1): 69 - 75.
- Smith-Garvin, J. E., Koretzky, G. A. & Jordan, M. S. 2009. T Cell Activation. *Annual Review of Immunology*. **27**: 591- 619.
- Son, E. W., Yang, K H., Rhee, D. K., & Pyo, S. 2005. Immunomodulatory function of murine NK cell activity by alginate. *Archives of Pharmacal Research*. **28** (11): 1282 - 1286.
- Srivastava, R., Burbach, B. J., & Shimizu, Y. 2010. NF- $\kappa$ B activation in T cells requires discrete control of I $\kappa$ B kinase  $\alpha/\beta$  (IKK $\alpha/\beta$ ) phosphorylation and IKK $\gamma$  ubiquitination by the ADAP adapter protein. *Journal of Biological Chemistry*, **285** (15): 11100–11105.
- Standal, T., Borset, M. & Sundan, A. 2004. Role of osteopontin in adhesion, migration, cell survival and bone remodeling. *Experimental Oncology*. **26** (3): 179 - 184.
- Subramaniam, K., Pech, C. M., Stacey, M. C. & Wallace, H. J. 2008. Induction of MMP-1, MMP-3 and TIMP-1 in normal dermal fibroblasts by chronic venous leg ulcer wound fluid. *International Wound Journal*. **5** (1): 79 - 86.
- Suda, T., Takahashi, T., Golstein, P. & Nagata, S. 1993. Molecular cloning and expression of the fas ligand, a novel member of the tumor necrosis factor family. *Cell*. **75** (6): 1169–1178.
- Suetsuna, K. & Nakano, T. 2000. Identification of an antihypertensive peptide from peptic digest of wakame (*Undaria pinnatifida*). *The Journal of Nutritional Biochemistry*. **11**(9): 450 - 454.
- Sulaiman, M. R., Fisal, A., Azwan, A., Chye, F. Y. & Matanjun, P. 2015. Crude proteins, total soluble proteins, total phenolic contents and SDS - PAGE profile of fifteen varieties of seaweed from Semporna, Sabah, Malaysia. *International Food Research Journal*. **22** (4): 1483 - 1493.

- Sun, H. X., Wang, H., Xu, H. & Ni, Y. 2009. Novel polysaccharide adjuvant from the roots of *Actinidia eriantha* with dual Th1 and Th2 potentiating activity. *Vaccine*. **27** (30): 3984 -3991.
- Tan, J., Lim, P. E. & Phang, S. M. 2013. Phylogenetic relationship of *Kappaphycus* Doty and *Eucheuma* J. Agardh (Solieriaceae, Rhodophyta) in Malaysia. *Journal of Applied Phycology*. **25** (1): 13 - 29.
- Tanaka, G., Sandford, A. J., Burkett, K., Connett, J. E., Anthonisen, N. R., Paré, P. D. & He, J. Q. 2007. Tumour necrosis factor and lymphotoxin A polymorphisms and lung function in smokers. *European Respiratory Journal*. **29** (1): 34 - 41.
- Taylor, S., Wakem, M., Dijkman, G., Alsarraj, M. & Nguyen, M. 2010. A practical approach to RT-qPCR—Publishing data that conform to the MIQE guidelines. *Methods*. **50** (4): 1 - 5.
- Teixeira, L. K., Fonseca, B. P. F., Vieira-de-Abreu, A., Barboza, B. A., Robbs, B. K., Bozza, P. T., & Viola, J. P. B. 2005. IFN- $\gamma$  Production by CD8+ T Cells Depends on NFAT1 Transcription Factor and Regulates Th Differentiation. *The Journal of Immunology*. **175** (9): 5931 - 5939.
- Thaker, Y. R. & Rudd, C. E. 2015. Distinct NF- $\kappa$ B activation pathways engaged by T-cell receptor and co-receptor CD28 on T-cells. *Inflammation and cell signaling*. 1–6.
- Thomas, A., Harding, K. G. & Moore, K. 2000. Alginates from wound dressings activate human macrophages to secrete tumour necrosis factor-alpha. *Biomaterials*. **21** (17): 1797 - 1802.
- Thomas, S. J., Snowden, J. A., Zeidler, M. P. & Danson, S. J. 2015. The role of JAK/STAT signalling in the pathogenesis, prognosis and treatment of solid tumours. *British Journal of Cancer*. **113** (3): 365 - 371.
- Thome, M., Charton, J. E., Pelzer, C. & Hailfinger, S. 2010. Antigen receptor signaling to NF-kappaB via CARMA1, BCL10, and MALT1. *Cold Spring Harbor Perspectives in Biology*. **2** (9): 1 - 16.
- Timonen, T. & Helander, T. S. 1997. Natural killer cell-target cell interactions. *Current Opinion in Cell Biology*. **9** (5): 667 - 673.
- Tokimura, Y., Yamashita, U. & Kamei, Y. 2012. Potent activation of tumor necrosis factor- $\alpha$  production by a polysaccharide found in a marine brown alga *Chordaria flagelliformis*. *Fisheries Science*. **78** (3): 717 - 724.
- Tolosa, L., Donato, M., & Gómez-Lechón, M. 2015. General cytotoxicity assessment by means of the MTT Assay. In M. Vinken & V. Rogiers (eds.), *Protocols in in vitro hepatocyte research*, volume 1250, pp. 333 - 348. New York: Springer.

- Veillette, A., Bookman, M. A., Horak, E. M. & Bolen, J. B. 1988. The CD4 and CD8 T cell surface antigens are associated with the internal membrane tyrosine-protein kinase p56lck. *Cell.* **55** (2): 301 - 308.
- Venkatesan, J., Lowe, B., Anil, S., Manivasagan, P., Al Kheraif, A. A., Kang, K. H. & Kim, S. K. 2015. Seaweed polysaccharides and their potential biomedical applications. *Starch.* **66**: 1 - 10.
- Vigneault, F., Zaniolo, K., Gaudreault, M., Gingras, M.-È. & Guérin, S. L. 2007. Control of integrin genes expression in the eye. *Progress in Retinal and Eye Research.* **26** (2): 99 - 161.
- Vishchuk, O. S., Ermakova, S. P. & Zvyagintseva, T. N. 2011. Sulfated polysaccharides from brown seaweeds *Saccharina japonica* and *Undaria pinnatifida*. Isolation, structural characteristics, and antitumor activity. *Carbohydrate Research.* **346**(17): 2769 - 2776.
- Vivienne, A. 2012. Seaweed farmers look beyond Sabah market. *Borneo Post.* 11 March 2012: A8.
- Vivier, E. 2006. What is natural in natural killer cells? *Immunology Letters.* **107** (1): 1 - 7.
- Vivier, E., Nunès, J. A. & Vély, F. 2004. Natural killer cell signaling pathways. *Science.* **306**: 1517 - 1519.
- Vollmar, A. M. 2005. The role of atrial natriuretic peptide in the immune system. *Peptides.* **26**(6): 1086 - 1094.
- Wagner, H. 1999. Search for potent immunomodulatory agents from plants and other sources. In Bohlin, L. & Bruhn, J. G. (eds.) *Bioassay Methods in Natural Product Research and Drug Development* pp. 113 - 118. Dordrecht: Springer.
- Wahab, S. & Hussain, A. 2013. Cytokines as targets for immunomodulation. *International Journal of Pharmacy and Pharmaceutical Sciences.* **5**: 60 - 64.
- Wang, K. X. & Denhardt, D. T. 2008. Osteopontin: Role in immune regulation and stress responses. *Cytokine & Growth Factor Reviews.* **19**: 333 - 345.
- Wang, T., Jónsdóttir, R. & Ólafsdóttir, G. 2009. Total phenolic compounds, radical scavenging and metal chelation of extracts from Icelandic seaweeds. *Food Chemistry.* **116** (1): 240 - 248.
- Waymack, J. P. & Alexander, J. W. 1986. Immunostimulation by TP-5 in immunocompromised patients and animals-current status of investigation. *Comparative Immunology, Microbiology and Infectious Diseases.* **9** (2): 225 - 232.

- Weber, G. F., Ashkar, S., Glimcher, M. J. & Cantor, H. 1996. Receptor-ligand interaction between CD44 and osteopontin (Eta-1). *Science*. **271**: 509 - 512.
- Wen, Z. S., Xu, Y. L., Zou, X. T. & Xu, Z. R. 2011. Chitosan nanoparticles act as an adjuvant to promote both Th1 and Th2 immune responses induced by ovalbumin in mice. *Marine Drugs*. **9** (6): 1038 - 1055.
- White, R. L. 2001. What *in vitro* models of infection can and cannot do. *Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy*. **21**: 292 - 301.
- Whiteside, T. L. 2007. Introduction to cytokines as targets for immunomodulation. In House R. V. & Descotes J. (eds.). *Cytokines in Human Health: Immunotoxicology, Pathology, and Therapeutic Applications* pp. 1 - 15. Totowa: Humana Press.
- WHO/FAO/UNU. 2007. Protein and amino acid requirements in human nutrition. *World Health Organization technical report series*. 935: 1 - 265.
- Wiencke, C., & Kai, B. 2012. *Seaweed biology: Novel insights into ecophysiology, ecology and utilization*. New York: Springer.
- Wiens, G. D. & Glenney, G. W. 2011. Origin and evolution of TNF and TNF receptor superfamilies. *Developmental & Comparative Immunology*. **35** (12): 1324 - 1335.
- Wilson, C. B., Rowell, E. & Sekimata, M. 2009. Epigenetic control of T-helper-cell differentiation. *Nature Reviews Immunology*. **9** (2): 91 - 105.
- Wong, K. H. & Cheung, P. C. K. 2000. Nutritional evaluation of some subtropical red and green seaweeds Part I - proximate composition , amino acid profiles and some physico-chemical properties. *Food Chemistry*. **71**: 475 - 482.
- Wozniak, M. A., Modzelewska, K., Kwong, L. & Keely, P. J. 2004. Focal adhesion regulation of cell behavior. *Biochimica et Biophysica Acta*. **1692** (2): 103 - 119.
- Wu, C. C., Hsu, S. C., Shih, H. & Lai, M. Z. 2003. Nuclear Factor of Activated T Cells c Is a Target of p38 Mitogen-Activated Protein Kinase in T Cells. *Molecular and Cellular Biology*. **23** (18): 6442 - 6454.
- Wynn, T. A., Chawla, A. & Pollard, J. W. 2013. Macrophage biology in development, homeostasis and disease. *Nature*. **496**: 445 - 455.
- Xu, H. S., Wu, Y. W., Xu, S. F., Sun, H. X., Chen, F. Y. & Yao, L. 2009. Antitumor and immunomodulatory activity of polysaccharides from the roots of *Actinidia eriantha*. *Journal of Ethnopharmacology*. **125** (2): 310 - 317.

- Yaich, H., Garna, H., Bchir, B., Besbes, S., Paquot, M., Richel, A., Blecker, C. & Attia, H. 2015. Chemical composition and functional properties of dietary fibre extracted by Englyst and Prosby methods from the alga *Ulva lactuca* collected in Tunisia. *Algal Research*. **9**: 65 - 73.
- Yamazaki, H., Yamaguchi, T., Yamauchi, A. & Kakiuchi, Y. 1994. Food additives on acceptable daily intake (ADI) level affect the agonist induced platelet activation I. Antioxidants and preservatives. *Chemosphere*. **29** (6): 1293 - 1299.
- Yang, T., Jia, M., Meng, J., Wu, H. & Mei, Q. 2006. Immunomodulatory activity of polysaccharide isolated from *Angelica sinensis*. *International Journal of Biological Macromolecules*. **39**: 179 - 184.
- Yeap, S. K., Omar, A. R., Ali, A. M., Ho, W. Y., Beh, B. K. & Alitheen, N. B. 2012. Immunomodulatory effect of *Rhaphidophora korthalsii* on Natural Killer Cell Cytotoxicity. *Evidence-Based Complementary and Alternative Medicine*. 1 - 7.
- Yeap, S. K., Rahman, M. B. A., Alitheen, N. B., Ho, W. Y., Omar, A. R., Beh, B. K. & Huynh, K. Y. 2011. Evaluation of immunomodulatory effect: Selection of the correct targets for immunostimulation study. *American Journal of Immunology*. **7** (2): 17 - 23.
- Yee, K. L., & Hammer, D. A. 2008. Integrin-mediated signalling through the MAP - kinase pathway. *Systems Biology, IET*. **2** (1): 8 - 15.
- Yoon, H., Jeong, E., Choi, J., Lee, M., Park, M., Yoon, N. Y., Kim, Y. K., Cho, D. M., Kim, J. I. & Kim, H. R. 2011. Anti-inflammatory effects of ethanolic extracts from *Codium fragile* on LPS-Stimulated RAW 264.7 Macrophages via Nuclear Factor kappaB Inactivation. *Fisheries and Aquatic Sciences*. **14** (4): 267 - 274.
- Yoon, Y. D., Lee, E. S., Park, J. P., Kim, M. R., Lee, J. W., Kim, T. H., Na, M. K. & Kim, J. H. 2011. Immunostimulatory effect by aqueous extract of *Hizikia fusiforme* in RAW 264.7 macrophage and whole spleen cells. *Biotechnology and Bioprocess Engineering*. **16** (6): 1099 - 1105.
- Yuan, H., Song, J., Li, X., Li, N. & Dai, J. 2006. Immunomodulation and antitumor activity of kappa-carrageenan oligosaccharides. *Cancer Letters*. **243** (2): 228 - 234.
- Yuan, H., Song, J., Li, X., Li, N., & Liu, S. 2010. Enhanced immunostimulatory and antitumor activity of different derivatives of κ-carrageenan oligosaccharides from *Kappaphycus striatum*. *Journal of Applied Phycology*. **23** (1): 59 - 65.
- Yuguchi, Y., Tran, V. T. T., Bui, L. M., Takebe, S., Suzuki, S., Nakajima, N., Kitamura, S. & Thanh, T. T. T. 2016. Primary structure, conformation in aqueous solution, and intestinal immunomodulating activity of fucoidan from two brown seaweed species *Sargassum crassifolium* and *Padina australis*. *Carbohydrate Polymers*. **147**: 69-78.

- Zamarin, D. & Wolchok, J. D. 2014. Potentiation of immunomodulatory antibody therapy with oncolytic viruses for treatment of cancer. *Molecular Therapy — Oncolytics*. 1 - 10.
- Zhang, S. & Kaplan, M. H. 2000. The p38 mitogen-activated protein kinase is required for IL-12-induced IFN- $\gamma$  expression. *The Journal of Immunology*. 165: 1374 - 1380.
- Zhou, G., Sun, Y., Xin, H., Zhang, Y., Li, Z. & Xu, Z. 2004. *In vivo* antitumor and immunomodulation activities of different molecular weight lambda-carrageenans from *Chondrus ocellatus*. *Pharmacological Research*. 50 (1): 47 - 53.
- Zhu, J. & Paul, W. E. 2008. CD4 T cells: fates, functions, and faults. *Blood*. 112 (5): 1557-1569.
- Zhu, J., & Paul, W. E. 2009. Heterogeneity and plasticity of T helper cells. *Cell Research*. 20 (1): 4 - 12.
- Zwirner, N. W., & Domaica, C. I. 2010. Cytokine regulation of natural killer cell effector functions. *BioFactors*. 36 (4): 274 - 288.