MARINE HABITAT MAPPING ON LABUAN MARINE PARK, FEDERAL TERRITORY OF LABUAN, MALAYSIA

THESIS SUBMITTED IN PARTIAL FULFILLMENT FOR THE DEGREE OF MASTER OF MARINE SCIENCE



PERPUSTAKAAN Universiti malaysia sabah

BORNEO MARINE RESEARCH INSTITUTE UNIVERSITI MALAYSIA SABAH 2016

BORANG PENGESAHAN STATUS TESIS

Judul: MARINE HABITAT MAPPING ON LABUAN MARINE PARK, FEDERAL TERRITORY OF LABUAN, MALAYSIA Ijazah: IJAZAH SARJANA

Saya **Fazliana Binti Mustajap**, sesi pengajian <u>2012-2015</u>; mengaku membenarkan tesis sarjana ini disimpan di Perpustakaan Universiti Malaysia Sabah dengan syarat-syarat seperti berikut:-

- 1. Tesis ini adalah hak milik Universiti Malaysia Sabah
- 2. Perpustakaan Universiti Malaysia Sabah dibenarkan membuat salinan untuk pengajian sahaja
- 3. Perpustakaan dibenarkan membuat salinan tesis ini sebagai bahan pertukaran antara institusi pengajian tinggi
- 4. Sila tanda(/):

SULIT (Mengandungi maklumat yang berdarjah keselamatan atau kepentingan Malaysia seperti yang termaktub di dalam AKTA RAHSIA 1972)

TERHAD (Mengandungi maklumat TERHAD yang telah ditentukan oleh organisasi/badan di mana penyelidikan dijalankan)



TIDAK TERHAD

Fazliana Binti Mustajap

Disahkan oleh,

NURULAIN BINTI ISMAIL •UBRARIAN TI MALAYSIA SABAH

Tandatangan Pustakawan

(Prof iria Saleh)

Tarikh: 6 Oktober 2016

DECLARATION

I hereby declare that the work in this thesis is my own except for quotations and summaries which have been duly acknowledged.

21 September 2016

Fazliana binti Mustajap MY1211005T



CONFIRMATION

NAME	:	FAZLIANA BINTI MUSTAJAP
MATRIK NO.	:	MY1211005T
TITLE	:	MARINE HABITAT MAPPING ON LABUAN MARINE PARK, FEDERAL TERRITORY OF LABUAN, MALAYSIA
MASTER DEGREE	:	MASTER OF SCIENCE (MARINE SCIENCE)
VIVA DATE	:	3 JUNE 2016

CERTIFIED BY;

SUPERVISOR

Associate Professor Dr. Ejria Binti Saleh

Signature

ACKNOWLEDGEMENTS

Assalamualaikum w.b.t.

First and foremost, all praises to Allah S.W.T for granting me the wisdom and strength to complete this study. Without His blessing and love, it is impossible for me to complete this study.

I would like to take this opportunity to extend my gratitude to Associate Prof. Madya. Dr. Ejria binti Saleh, my supervisor for all her support, understanding and inspiration in this research. I would also like to thank her for her precious time by offering unlimited help and guidance throughout this study. Thank you for exposing me to the field of oceanography, and also for giving me opportunities to be involved in a multitude of researches and programmes.

Apart from that, I would also like to extend my gratitude towards all the lecturers in Borneo Marine Research Institute for giving me guidances and advices regarding my research. Not forgetting, all the staffs who assisted me in the field and lab works (both boatman and laboratory assistance). Furthermore, I also would like to thank Mr. Mustapa Abdul Talip, Mr. James and Mr. Abdul Munir Ladoni from the School of Social Science for teaching me ArcGIS, side scan sonar software and always providing me with ideas on analysing my data. I would also like to sincerely thank Associate Prof. Dr. Phua Mui How and Mr. Danial from the School of International Tropical Forestry for mentoring me for the usage of ArcGIS and Remote Sensing software and also not forget to coral triangle initiative (CTI) staffs (Mrs Jane and Mrs Marrylin) for helping me a lot during my study.

A heartfelt thanks to all my friends who played an important part in helping me carry out this study successfully, your motivation and support is very much appreciated. Especially to Russel Felix Koiting, Ain, Lia, Chapi, Pat, Farah, Rina, Husna, Fiza, Su, Samsul, Ani, Kak Miza, Najah, Rashid and Gwen. Thank you.

My greatest gratitude goes to my beloved husband, Mr. Ahmad Fahmi bin Rashid for his encouragement and support in every decision I make. For my precious kids, Aina Balqis Fayyadhah binti Ahmad Fahmi and Ahmad Uwais Fayyadh bin Ahmad Fahmi, thank you honey for being strong and understanding of what mother is doing. I love all of you.

Last but not least, thanks to Department of Marine Park Malaysia, MyBrain MyMaster scholarship and skim Elaun KHAS PEMBANTU PENGAJAR UNIVERSITI MALAYSIA SABAH for the financial supports.

Fazliana Binti Mustajap 21 September 2016

ABSTRACT

Marine environment consists of many habitats that support marine life. High diversity of marine life forms a complex ecosystem in coastal environments. Therefore, habitat mapping is useful for development and better management planning on marine habitat. Therefore, marine habitat mapping study was conducted in Labuan Marine Park (LMP) area. The objectives of this study were to identify the actual marine habitat (coral reef, macroalgae, sea grass) distribution, to characterize the seabed type, and to create a map of marine habitat and seabed characteristics within the park. LMP is declared as Marine Park since 1994 and only the Marine Park in East Malaysia that managed by Department of Marine Park Malaysia. This park is consists of three islands (Kuraman, Rusukan Besar, Rusukan Kecil) and estimated area of 37.9km². The assessments of marine habitat distribution and seabed characteristics were conducted using the side scan sonar (SSS) and supporting images (topography map, satellite, and Google Earth images). The SSS and supporting images were verified by SCUBA diving and sediment assessment on the seabed. The data from previous studies were also used to enhance the results. The classification of seabed was divided into three basic attributes, which are major structure (hard bottom and unconsolidated structures), minor structure (coral, rock, silt, sand), and marine habitat (coral reef, macroalgae, and seagrass) cover. The hard bottom structure is mostly dominant around the islands and at the northern part of the marine park area. Meanwhile, the unconsolidated structure is mostly found in the middle and east part of the park. Coral reef areas are well distributed around the islands in the shallow water area. It is formed from hard and soft corals. The distribution of coral has been recorded at the area between Rusukan Besar Island and Rusukan Kecil Island, and at the southeast part of the park. Meanwhile macro algae mainly found attached to mixed live coral reefs or submerged rocks around islands. Small patches of seagrass habitat located at the middle part of the park. These results are important as detail baseline information on marine habitat for conservation, protection and better management of LMP.

ABSTRAK

PEMETAAN HABITAT MARIN DI TAMAN LAUT LABUAN, WILAYAH PERSEKUTUAN LABUAN, MALAYSIA

Persekitaran marin terdiri daripada pelbagai jenis habitat yang menyokong hidupan laut, Kepelbagaian hidupan laut yang banyak membentuk satu ekosistem yang kompleks dalam persekitaran pantai. Oleh itu, pemetaan habitat amat berguna untuk pengurusan pembangunan dan perancangan yang lebih baik untuk habitat marin. Oleh sebab itu, pemetaan habitat marin telah dijalankan di kawasan Taman Laut Labuan (LMP). Objektif kajian ini adalah untuk mengenal pasti liputan dan habitat marin (terumbu karang, laut), taburan mackroalga, rumput mengklasifikasikan jenis dasar laut, , dan menghasilkan peta habitat marin dan jenis dasar laut dalam taman laut. LMP diisytiharkan sebagai Taman Laut sejak tahun 1994 dan satu-satunya Taman Laut di Timur Malaysia yang diuruskan oleh Jabatan Taman Laut Malaysia. Taman ini terdiri daripada tiga pulau (Kuraman, Rusukan Besar, Rusukan Kecil) dan anggaran kawasan adalah seluas 37.9km². Penilaian ciri-ciri taburan habitat dan dasar laut telah dijalankan dengan menggunakan sonar imbasan sisi (side scan sonar, SSS) dan beberapa imej sokongan (peta topogafi, imej satellite dan Google Earth). Imej-imej daripada SSS dan imej sokongan telah disahkan oleh menyelam SCUBA dan penilaian sedimen dasar laut. Data daripada kajian terdahulu juga digunakan untuk meningkatkan hasil kajian. Pengelasan dasar laut dibahagikan kepada tiga sifat asas, iaitu struktur utama (bahagian bawah keras dan struktur yang tidak disatukan), struktur kecil (terumbu karang, batu-batuan, kelodak dan pasir) dan kawasan habitat marin. Struktur bahagian bawah keras kebanyakannya mendominasi kawasan sekitar pulau-pulau dan di bahagian utara kawasan taman. Sementara itu, struktur yang tidak disatukan kebanyakkannya ditemui di bahagian tengah dan timur taman. Kawasan terumbu karang dapat dijumpai di sekitar pulau-pulau di kawasan air cetek. Ia terbentuk daripada batu karang keras dan lembut. Kawasan karang telah direkodkan di kawasan antara Pulau Rusukan Besar dan Rusukan Kecil, dan pada bahagian tenggara taman. Sementara itu, makro alga didapati melekat secara langsung pada terumbu karang atau campuran batu di sekitar pulau. Tompokan kecil habitat rumpai laut terletak di bahagian tengah taman itu. Keputusan ini adalah penting sebagai maklumat asas seperti habitat marin untuk pemuliharaan, perlindungan dan pengurusan yang lebih baik untuk LMP.

TABLE OF CONTENTS

		Page
DEC	CLARATION	ï
CON	NFIRMATION	
ACK	KNOWLEDGEMENTS	iv
ABS	STRACT	v
ABS	STRAK	vi
ТАВ	BLE OF CONTENTS	vii
LIST	T OF TABLES	xi
LIST	T OF FIGURES	Xii
LIST	T OF ABBREVIATIONS UNIVERSITI MALAYS	A SABAH xv
LIST	T OF SYMBOLS	xvi
LIST	T OF APPENDIX	xvii
CHA	APTER 1: INTRODUCTION	1
1.1	Marine habitat	1
1.2	Marine habitat mapping importance	3
1.3	Marine habitat mapping for marine parks	3
1.4	Problem statements	5
1.5	Objectives	5
1.6	Significance of study	5

CHA	PTER 2: LITERATURE REVIEW	7
2.1	Marine habitat mapping	7
2.2	Remote sensing acoustic sensors use in mapping	8
	2.2.1 Remote sensing active sensor (hydro acoustic technology)	9
	2.2.2 Remote sensing passive sensor	10
	2.2.3 Ground truthing	11
2.3	Coastal water habitat in Labuan Marine Park	11
	2.3.1 Coral Reef	12
	2.3.2 Macroalgae	15
	2.3.3 Seagrass	16
	2.3.4 Mangrove	18
2.4	Seabed characteristics	19
2.5	History of Islands in Labuan Marine Park	20
СНА	PTER 3: METHODOLOGY	22
3.1	Study Area	22
3.2	Sampling design	24
3.3	Data collections	26
	3.3.1 Detection of marine habitat and seabed by using side scan	26
	sonar AU UNIVERSITI MALAYSIA SABAH	
	3.3.2 Supporting images	30
	a. Side scan sonar and supporting images verification	32
	i. SCUBA diving	32
	ii. Seabed sediment assessment	34
	3.3.3 Data from published manuscripts	37
3.4	Data Analysis	37
	3.4.1 Seabed characteristics scheme	37
	3.4.2 Side scan sonar analysis	38
	3.4.3 Supporting Images	39
	a. Topography map	39
	b. Satellite and Google Earth images	40
	3.4.4 Sediment assessment on seabed	40
	3.4.5 Map producing by using ArcGIS	41

CHA	PTER 4	RESULTS	42
4.1	Side s	can sonar analysis	42
	4.1.1	Side scan sonar survey tracks	42
	4.1.2	Side scan sonar images	44
4.2	Suppo	orting images analysis	48
	4.2.1	Satellite image	48
	4.2.2	Google Earth	49
4.3	Verific	ations of side scan sonar and supporting images	50
	4.3.1	SCUBA diving observations	50
	4.3.2	Sediment assessment on seabed	55
4.4	Seabe	d characteristics	67
	4.4.1	Major Structures	67
		a. Seabed distribution retrieved from side scan sonar	67
		b. Seabed distribution retrieved from satellite image	68
		c. Seabed distribution retrieved from Google Earth	69
		d. Major structures distribution in LMP	70
	4.4.2	Minor Structures	71
		a. Minor seabed distribution retrieved from topography	71
		MAR UNIVERSITI MALAYSIA SABAH	
		b. Minor seabed distribution retrieved from side scan sonar	72
		c. Minor seabed distribution retrieved from satellite image	73
		d. Minor seabed distribution retrieved from Google Earth	75
		e. Minor structures distribution in LMP	76
4.5	Marine	e habitat cover	76
	4.5.1	Coral reef distribution in LMP	77
	4.5.2	Macroalgae distribution in LMP	80
	4.5.3	Seagrass distribution in LMP	81
CHAF	PTER 5:	DISCUSSIONS	83
5.1	Marine	e habitat distribution	83
5.2	Seabed characteristics		88

CHAPTER 6: CONCLUSIONS		93
6.1	Conclusion	93
6.2	Limitations	94
6.3	Suggestions	96
REFI	ERENCES	98

113

APPENDIX



LIST OF TABLES

		Page
Table 3.1:	Side scan sonar specification	27
Table 3.2:	Coordinates of SCUBA diving stations	34
Table 3.3:	Coordinates and location of seabed sediment stations	36
Table 3.4 :	Main sources for SSS verification	37
Table 3.5:	Seabed classification in LMP	38
Table 4.1:	Structures cover of LMP	67
Table 4.2:	Marine habitat cover in LMP	77
	UNIVERSITI MALAYSIA SABAH	

LIST OF FIGURES

		Page
Figure 3.1:	Geographical location of Labuan Marine Park area.	23
Figure 3.2:	Sampling design for seabed characteristics and marine habitat map.	25
Figure 3.3:	Setting of SSS before the survey.	28
Figure 3.4:	Illustration of SSS during seabed and habitat survey.	29
Figure 3.5:	Images of LMP; a) topography map (Direktorat Pemetaan Negara, 1997), b) aerial photos 1979 (JUPEM, 2013), c) Google Earth (2014).	32
Figure 3.6:	Location of SCUBA diving stations.	33
Figure 3.7:	Location of seabed sediment stations.	35
Figure 3.8:	Information of real-time image from SSS's screen during the scanning survey.	39
Figure 3.9:	Relevant data overlaid in producing the map of marine habitat and sea substrate in LMP.	41
Figure 4.1:	First (a), second (b) and total SSS (c) survey area in LMP.	43
Figure 4.2:	Mosaics image of SSS in the study area.	44
Figure 4.3:	Examples of seabed images detected by SSS.	47

Figure 4.4:	Raw satellite imagery of the study area (a) and imagery		
	after the composite process (b).		
Figure 4.5:	Raw Google Earth image of the study area (a) and imagery	49	
	after the composite process (b).		
Figure 4.6:	Summary of SCUBA diving observations and examples of	54	
	static images retrieved from SSS, satellite and Google Earth		
	images near to SCUBA diving stations.		
Figure 4.7:	Characteristics of seabed's sediments in LMP; (a) sediment	56	
	mean grain size and (b) sorting.		
Figure 4.8:	Summary of seabed assessment and examples of static	66	
	images retrieved from SSS, satellite and Google Earth		
	images near to sampling stations.		
Figure 4.9:	Seabed mapping interpretation based on the backscatter	68	
Figure 4 10		60	
rigule 4.10.	onsupervised classification image of Enits	09	
Figure 4.11:	Unsupervised classification from maximum likelihood	70	
	classification analysis (a) and feature type description		
	derived from visual interpretation of Google Earth imagery		
	of LMP.		
Figure 4.12:	Distribution of major structures in LMP area.	71	
Figure 4.13:	Distribution of sand and rock area based on a topography	72	
	map.		

- Figure 4.14: Distribution of minor structure in LMP area based on SSS analysis.
- Figure 4.15: Eight classes of seabed distribution according to 74 unclassified classification (a) and minor seabed distribution based on verification result (b).

73

- Figure 4.16: Seabed distribution according to unclassified classification 75 (a) and minor seabed distribution based on verification result (b).
- Figure 4.17: Distribution of minor structures in LMP area. 76
- Figure 4.18: Example of scanning images and condition of the coral 79 reefs in LMP; a) southwest of Kuraman, b) northwest of Rusukan Besar, c) Northeast of Rusukan Besar, d) Southwest of Rusukan Besar, e) southeast of Rusukan Kecil.

Figure 4.19: The SSS images of seabed at northern part of Kuraman and 81 the few images of algae that live on seabed; a) west of Rusukan Besar, b) east of Kuraman, c) north of Kuraman.

- Figure 4.20: Distribution existence marine habitats in Labuan Marine 82 Park.
- Figure 5.1: Relationship between depth of seawater and sediment 91 mean grain size.

LIST OF ABBREVIATIONS

LMP	-	Labuan Marine Park
SSS	-	side scan sonar
МРА	-	Marine Protected Area
DMPM	-	Department of Marine Park
NRE	•	Ministry of Natural Resources and Environment
GPS	-	Global positioning system
GIS	-	Global Information System
WWF	Ļ	World Wildlife Fund
UMS	-	Universiti Malaysia Sabah
SCUBA	Ð	Self-contained Underwater Breathing Apparatus
eq	SIA	Equation
St.	/	Station
Km		Kilometer
m	-	Meter
NE	-	Northeast
SW	-	Southwest
SE	-	Southeast
kHz	-	Kilohertz

LIST OF SYMBOLS



LIST OF APPENDIX

		Page
Appendix A	Descriptive of sediment size by referring to GRADISTAT program	113
Appendix B	Sorting class based on Folk and Ward (1957)	113
Appendix C	Component of SSS equipment; a) Scan towfish and b) monitor and GPS	114
Appendix D	Hard coral species recorded by Waheed et al., (2017)	114
Appendix E	Macroalgae species recorded by Waheed <i>et al.,</i> (2017)	115
Appendix F	Macroalgae species recorded by Draisma (2013)	115

UNIVERSITI MALAYSIA SABAH

CHAPTER 1

INTRODUCTION

1.1 Marine Habitat

In general, habitat could be defined as an area or natural environment in which a species normally lives, or the place where the dominant life forms (Bickers, 2003). However, according to McCutcheon and McCutcheon, (2003), habitat is the place in nature where the plants and animals live and grow together. This includes the landscape and climate that affects them. For marine life, habitat is categorized based on their abiotic features, physical and chemical characteristics of the environment (Kerleskint *et al.*, 2010). The diversity of marine habitat forms a dynamic ecosystem with productive marine ecology. It has a network of species on which all life depends on food, climate, even air to breathe (UKM News Portal, 2014). It is comparable to the tropical rainforest however, it is the least understood; even though the ocean is the most influential ecosystem in the world. Common marine habitats in Malaysia and tropical regions are coral reefs, seagrass beds, macro algae, rocky shore, and sandy shore. These habitats can be turned into an ecosystem that supports a high diversity of marine life.

The seabed characteristics play a main role in marine habitat distribution. Marine habitats are mostly formed on the specific seabed which best suit their nature. The characteristics of the seabed sediment are different depending on the size and territory. The seabed features may change through time with the influence of factors such as natural processes and anthropogenic activities. More, seabed features could disappear due to underwater hydrodynamic activities. The nature of the seabed such as hard bottom and unconsolidated structure could vary in term of the size, colour, place, and much more. According to Jauhariyuddin (2001), the larger particles size of sediment will be deposited while the smaller particles size will be taken to other places. For centuries, marine habitats have influenced the pattern of settlements for humankind. The thriving settlements are normally with access to fishing grounds. Unfortunately, many studies recorded that marine habitat is facing degradation due to threats either by anthropogenic activities or by natural disturbance (Jackson, 2001; Guldberg and Bruno, 2010; Yasuhara *et al.*, 2012). Threats from the nature are in the form of storms, typhoons, big waves and unusually climate pattern. These natural threats combined with anthropogenic activities such as development at the coastal area, sedimentation, destructive fishing activities, agriculture, and pollution has caused major degradation towards the marine habitat. These impacts would need a long period of time for recovery. In some cases, there are marine habitats that do not manage to recover. According to Lee (2007), anthropogenic activities have affected the marine ecosystem in the sea over the past five decades or more. This is probably because most developing regions are concentrated in the coastal area and most of the marine habitat is found near to the coastline.

Habitat degradation has increased day by day and has become a huge problem to the marine environment; disrupting marine and human life. To combat this, many awareness and educational programs have been developed to overcome these problems. Marine Protected Area (MPA) or Marine Park, marine reserves area, zoning area, land use and development regulation, monitoring and reporting are the several efforts that are implemented by developed countries to overcome habitat degradation. Other than that, awareness and monitoring programs have also been organised for communities and policy makers to create awareness on the importance of marine habitat to the humankind. Many organizations such as NGOs, agencies, and universities have co-operated in setting up programs especially in MPA or Marine Park area.

The main problem in determining the percentage of marine habitat loaa id the lack of accurate data and information on marine resources. Therefore, there must be a solution to manage the information on marine ecosystem. Scientists need to know the exact location, extent, and status of the marine habitat in order to monitor and conserve the habitat.

2

1.2 Marine habitat mapping importance

The protection of marine habitat has become a global issue recently for conservation and monitoring efforts. Rapid development in the coastal areas are causing high rates of pollution that are mostly released to the sea and thus affecting the marine habitat; this combined with overfishing has negatively impacted the marine environment. Based on a report by WWF (2009b), about 60% of coral reefs are estimated to disappear by 2030 if the destruction continues.

Marine habitat map is essential with the growing population and increased coastal development, causing the degradation of the marine habitat. Recently, marine habitat mapping has become an integral part of coastal marine science especially in terms of habitat conservation (Copeland *et al.*, 2011). The habitat map will provide a better understanding of the marine habitats in order to protect and manage the natural resources that are exposed to the threat of global warming, destruction of habitat, fishing, and pollution. The map can cover both specific protected area and wider environment.

Numerous maps of marine habitats have been produced since the importance of the marine environment to the human has been acknowledged. The maps could hold thousands of great scientific interest that are related to the marine environment. Knowledge of the status, distribution, and extent of the habitat can establish a sensible approach for the scientist, policy maker, and resource manager to conserve and monitorthe marine habitats and to better manage the marine environment. Mapping is also the way to assess the potential marine area for future development.

1.3 Marine habitat mapping for marine parks

The map of the marine habitat in the marine park should be adequate to depict the information on habitat status and distribution. Conventional methods such as belt transect, line transect, manta tow survey and quadrat plot can be used as supporting method to present the habitat in the form of a map (Lee, 2007).

3

However, these methods are sometimes too costly, time consuming and could only map a small area. Much time in the field and only cover a small-scale basis. These methods are not suitable to fulfil the need of mapping in large-scale areas promptly.

In line with the development of information technology and communication, the technology of remote sensing offers a practical and economical means to map the marine habitat, especially over large areas. Remote sensing technology extends possible data that achieved from present to over several decades back. It also offers the various scales from systematic observations (Langley *et al.*, 2001; Nordberg and Evertson, 2003). Remote sensing technology uses satellite imaginary data. It obtains information on an object or area by analysing the data without touching the object but by using a sensor that uses electromagnetic waves (Bowo *et al.*, 2014).

Besides remote sensing, another suitable mechanism for transmitting information through the water column is by using acoustic waves through sonar system. The tool using the system is named Underwater Acoustic Mapping Systems, which are divided into single-beam echo sounding, multi-beam echo sounding andside scan sonar (SSS) (Pawar and Rangole, 2013). In this study, SSS is used since it is a high-resolution tool that provides data in the wide area of seabed. This tool has been used since 1980s in order to map and visualize the seabed (Bickers, 2003). This data can be analysed and describe the characteristic of the seabed based on the frequency of backscatter intensity. The delineate changes of the seabed are based on the changes of intensity or intensity level. Many studies of marine habitat on the seabed had been done by using SSS combine with other methods such as aerial photo, satellite images, and ground truthing to get a more accurate view of the area. SSS not only detect the marine habitat but also identify the characteristic of the seabed.

4

1.4 Problem Statements

This study was carried out to develop a map for the marine habitat and seabed characteristic in Labuan Marine Park (LMP) by using GIS software. Scientific studies (Pilcher and Cabanban, 2000; Waheed *et al.*, 2007; Awang and Chan, 2013; Draisma, 2013; Azad and Sakari, 2013; Saleh *et al.*, 2013) have been done in this area and there are an abundant of existing baseline data. However, the studies are not carried out continuously and there are existing gaps in data. The quantity of information on marine habitat is limited in terms of the area and methodology. There is a great need for more information and data on the marine habitat. Thus, an enhancement from mapping is beneficial.

Moreover, previous scientific studies are focused on the status of the marine habitat such as corals, macroalgae, and seagrasses. There are limited publications on seabed characteristic has been published. The only publication on this was through the Marine Biodiversity Expedition 2012 Federal Territory of Labuan - Kuraman, Rusukan Kecil & Rusukan Besar Islands, by Universiti Malaysia Sabah (UMS). The information on marine habitat and seabed characteristics are limited to the certain areas in the park and only focusing on several station points.

UNIVERSITI MALAYSIA SABAH

1.5 Objectives

The objectives of this study are:

- a. To identify the actual marine habitat (coral reef, macroalgae, seagrass) distribution in LMP;
- b. To characterize the seabed type within the park area;
- a. To create maps of marine habitat and seabed characteristics within the park.

1.6 Significance of study

Marine habitats that make up the seabed play an important role in maintaining a healthy and productive ecosystem. This study attempts to explore the marine habitat in LMP by using SSS and GIS software in generating habitat map.

The purposes of this study are to survey, examine and document information on the marine habitat and seabed characteristics in LMP. The field data were verified and presented in a map form. The maps act as baseline information for Marine Park Department to enhance conservation and protection for future planning and management of LMP. The management of LMP faces obstacles as the park do not have any say on the development of the Kuraman island and Rusukan besar island as these islands are private land (Mstar, 2014). Any development will lead to environmental changes and affect the marine habitat in the coastal marine water. Therefore, the map produced in this study would give integrated and comprehensive information, such as habitat classification, description and databases of the LMP marine ecosystems before any further action will be taken by the islands owner to develop the islands. In the same time, the rapid development along the coastline in Labuan main Island could also use this habitat map for future town development planning and environmental protection. Furthermore, the marine habitats map would be useful as references and quideline in the future to scientists, students, policy maker, coastal manager, who studies on the marine habitat and resources in LMP.

UNIVERSITI MALAYSIA SABAH