

**CHARACTERISATION OF PULP AND PAPER
OBTAINED FROM THREE DIFFERENT AGES OF
Acacia mangium IN SIMILAR HABITAT**

FASIL SAID MANZOOR



UMS
PERPUSTAKAAN
UNIVERSITI MALAYSIA SABAH

**SCHOOL OF INTERNATIONAL TROPICAL
FORESTRY
UNIVERSITI MALAYSIA SABAH
2006**

**CHARACTERISATION OF PULP AND PAPER
OBTAINED FROM THREE DIFFERENT AGES OF
Acacia mangium IN SIMILAR HABITAT**

FASIL SAID MANZOOR



PERPUSTAKAAN
UNIVERSITI MALAYSIA SABAH

UMS

**THESIS SUBMITTED IN FULFILLMENT OF THE
REQUIREMENTS FOR THE
DEGREE OF MASTER IN SCIENCE**

**SCHOOL OF INTERNATIONAL TROPICAL
FORESTRY**

UNIVERSITI MALAYSIA SABAH

2006

BORANG PENGESAHAN STATUS TESIS

JUDUL : **CIRI-CIRI PULPA DAN KERTAS DARIPADA TIGA
UMUR *Acacia mangium* DIDAPATI PADA HABITAT
YANG SAMA**

IJAZAH : SARJANA SAINS

SESI PENGAJIAN : 2004-2006

Saya **FASIL SAID MANZOOR** mengaku membenarkan tesis SARJANA SAINS ini disimpan di Perpustakaan Universiti Malaysia Sabah dengan syarat-syarat kegunaan seperti berikut:

1. Tesis adalah hakmilik Universiti Malaysia Sabah.
2. Perpustakaan Universiti Malaysia Sabah dibenarkan membuat salinan untuk tujuan pengajian sahaja.
3. Perpustakaan dibenarkan membuat salinan tesis ini sebagai bahan pertukaran antara institusi pengajian tinggi.
4. TIDAK TERHAD



Disahkan oleh:

PERPUSTAKAAN
UNIVERSITI MALAYSIA SABAH

(Penulis : **FASIL SAID MANZOOR**)

Alamat tetap:
Sekolah Perhutanan Tropika Antarabangsa,
Universiti Malaysia Sabah,
Beg Berkunci 2073,
88999 Kota Kinabalu,
Sabah, Malaysia

(TANDATANGAN PUSTAKAWAN)

(Penyelia : **PROF.MADYA DR.RAZAK WAHAB**)

Tarikh: 1th August 2006

DECLARATION

The materials in this thesis are original except for quotations, excerpts, summaries and references, which have been duly acknowledged.

FASIL SAID MANZOOR
PS04-010-003(A)
JULY 2006



UMS
UNIVERSITI MALAYSIA SABAH

ACKNOWLEDGMENT

Thank you GOD.

I would like to express my unlimited appreciation to my supervisor Associate Prof. Dr. Razak Wahab for his valuable supervision. I would like to thank Mr. Girijashankar Kumaran (SFI) and Awang Ahmad Mohd Yunus for their kind suggestions and guidance in the research and preparation of this thesis. They provided me with great opportunity and allowed me to go in depth in the areas of pulp and paper and extraction of cellulose. Their consistent motivation and encouragement allowed me to perform better and unleashed my capabilities in many areas, especially in the field related to this thesis.


I would like to express my gratitude to Sabah Forestry Industry Sdn. Bhd, Sipitang for providing me free samples for my research study.

I would like to express my gratitude to the Vice Chancellor of University Malaysia Sabah, for his permission to continue my master's study in Universiti Malaysia Sabah.

I would like to express my thanks to the Dean of the School of International Tropical Forestry, Universiti Malaysia Sabah, Dr. Mahmud Sudin for providing me support during my research work.

I would also like to express my sincere thanks to my colleagues, lab assistants and others who are not mentioned here for their support and cooperation throughout this research work.

Finally, I am also grateful to my parents Mr. P.V.S Manzoor and Mdm. Zuhara Beegam, my siblings and my uncle for their love, continuous support and encouragement in completing this research work.



UNIVERSITI MALAYSIA SABAH

ABSTRACT

Woods samples of *Acacia mangium* tree of three age groups, viz. five, seven and nine years were tested for their alpha cellulose contents, pulp yield and papers quality. The woods were collected from Sabah Forest Industry (SFI) area in Ganui, Sipitang, Sabah. The woods were chipped, grinded into small sizes and turned into powder. The wood chips were treated at 170⁰ C, 7-8 MPa for 2.5 hours. The Brendel et al method was used for the extraction of alpha cellulose. The pulp yields of the sample were studied. Later, papers were made using this pulp and the tested for strength qualities. All tests were conducted in accordance to the ISO standards. The results showed that the alpha cellulose contents of the tree increases slightly. The increments were however found not significant. Almost all the age trees gave nearly the same pulp yield with a same cooking condition. The ANOVA analysis was conducted to determine the relation between the age of the tree and alpha cellulose content, pulp yield and paper strength properties. There were no significant changes seen in the paper strength properties with respect to age. It was found that the 5 year old trees showed better characteristics with respect to the older age trees and it's economically suitable for the paper production. These works recommend for the plantation managers (pulp wood) to cut the *Acacia mangium* trees in the age of 5 rather waiting for 7 - 9 years.




UMS
UNIVERSITI MALAYSIA SABAH

ABSTRAK

CIRI-CIRI PULPA DAN KERTAS DARIPADA TIGA UMUR *Acacia mangium* DIDAPATI PADA HABITAT YANG SAMA

Sampel-sampel kayu *Acacia mangium* daripada 3 kumpulan umur iaitu 5, 7 dan 9 tahun telah diuji terhadap kandungan alpha sellulosa, penghasilan pulpa dan kualiti kertas yang dihasilkan daripadanya. Kayu-kayu ini diambil daripada kawasan tanaman *Acacia* di Ganui, Sipitang, Sabah. Kayu-kayu ini dipotong, dikisar kepada saiz kecil dan dijadikan bentuk serbuk. Serbuk-serbuk kayu ini kemudian dikenakan suhu 170°C , 7-8MPa untuk selama 2.5 jam. Kaedah Brended et al digunakan bagi mengekstrak alpha sellulosa. Kadar hasil pulpa yang dihasilkan dikaji. Kemudian, kertas-kertas dihasilkan daripada pulpa ini dan diuji bagi menentukan kualiti kekuatannya. Semua ujian dijalankan mengikut piawai ISO. Hasil-hasil kajian menunjukkan bahawa kandungan alpha sellulosa pokok *Acacia* meningkat sedikit daripada pokok-pokok yang berumur 5 ke 7 dan seterusnya 9 tahun. Walaubagaiman pun peningkatan ini adalah tidak signifikan. Kesemua pokok memberikan kadar hasil pulpa yang sama dengan keadaan masakan yang sama. Analisa ANOVA telah dijalankan bagi menentukan hubungan antara umur pokok dan kandungan alpha sellulosa, kadar hasil pulpa dan sifat-sifat kekuatan kertas yang terhasil. Tidak ada perbezaan yang signifikan yang didapati. Kajian juga menunjukkan bahawa pokok yang berumur 5 tahun mempunyai ciri-ciri yang lebih baik daripada pokok yang lebih tua dan secara ekonominya sesuai digunakan bagi menghasilkan kertas. Hasil kajian ini menyarankan bahawa pokok *Acacia* berumur 5 tahun patut digunakan bagi penghasilan kertas berbanding pokok-pokok yang berumur 7 - 9 tahun yang digunakan sekarang.



UNIVERSITI MALAYSIA SABAH

CONTENTS

DECLARATION	ii
ACKNOWLEDGEMENT	iii
ABSTRACT	iv
ABSTRAK	v
CONTENTS	vi-ix
LIST OF FIGURES	x-xi
LIST OF TABLES	xii-xiii
ABBREVIATION	xiv-xv
SYMBOLS	xvi-xvii
 CHAPTER 1 INTRODUCTION	
1.1. Distribution and Location of Paper Factory in Malaysia	2
1.2. Present Status of Pulp and Paper in Malaysia	3
1.3. Pulp and Paper Demand in Developing and Developed Countries	4
1.4. Demand of Pulp and Paper in World	5
1.5. Demand for Paper and Paper Products in ASEAN Countries	6
1.6. The Total World Population Increment	6
1.7. World Pulp Production	7
1.8. Objective of the Research	7
1.9. Need for the Project	7
1.10. Organization of Thesis	8
1.11. Flow chart on the organization of work	10

CHAPTER 2 LITERATURE REVIEW

2.1	History of Pulp and Paper Production	12
2.2	Pulping	13
2.2.1.	Mechanical pulping	14
2.2.2.	Chemical pulping	14
2.2.3	Semi chemical pulping	16
2.3	<i>Acacia mangium</i>	16
2.4	Chemical Composition of wood	19
2.4.1.	Cellulose	20
2.4.2.	Hemicellulose	21
2.4.3.	Lignin	22
2.4.4.	Extractives	23
2.5	Alpha cellulose	23
2.6	Pulp yield	25
2.7	Studies on Paper Quality	25
2.7.1.	Basic weight or Grammage	26
2.7.2.	Bursting Strength	26
2.7.3.	Folding Endurance (Double Fold)	28
2.7.4.	Tearing Resistance	28
2.7.5.	Tensile Strength	29
2.8	ANOVA study	30

CHAPTER 3 MATERIALS AND METHODOLOGY

3.1	Description of instrument	31
3.1.1.	Digester	31
3.1.2.	Beater	31

3.1.3. Screener	33
3.1.4 Manual Sheet maker	33
3.1.5. Tearing Tester	34
3.1.6. Bursting Tester	35
3.1.7. Tensile Tester	35
3.1.8. Folding Tester	35
3.1.9. Fourier Transform Infrared Spectra (FTIR)	37
3.2 Description on Chemicals	38
3.3 Sampling	38
3.4 Methodology for pulping and paper making	42
3.5 Methodology for paper testing	45
3.6 Methodology for finding alpha cellulose	45
3.6.1. Micro- Extraction of Cellulose	45
3.7 Methodology for soil test	48
3.8 Flow charts	50
3.8.1. Schematic Representation of Methodology	50
3.8.2. Schematic Representation of the method for Extraction of Alpha Cellulose	51

CHAPTER 4 RESULTS AND DISCUSSIONS

4.1 Soil Test	52
4.2 Alpha Cellulose Obtained in Different Ages	54
4.3 Fourier Transform Infrared Spectra Results	56
4.4 Pulp Yield	59
4.5 Paper Testing	61
4.6 ANOVA analysis	63

4.6.1. ANOVA for Alpha Cellulose	63
4.6.2. ANOVA for Pulp Yield	67
4.6.3. ANOVA for Burst	70
4.6.4. ANOVA for Foldness	74
4.6.5. ANOVA for Tear	77
4.6.6. ANOVA for Tensile	80

CHAPTER 5 CONCLUSION AND SUGGESTIONS

5.1	Research findings	86
5.2	Contributions	87
5.3	Future research	87
5.4	Weakness	88

REFERENCES

89-94

APPENDIX A:	ISO Standards	95-111
APPENDIX B:	Climatic and Soil conditions of Ganui, SFI	112
APPENDIX C:	Raw Data	113-126
APPENDIX D:	Relation between pH value and nutrients in soil	127

LIST OF FIGURES

Figure 1.1	Flow charts on organization of work	10
Figure 1.2	Flow chart for Soil Analysis	11
Figure 2.1	Fourdrinier Machine installed in the Klippan Mill, Sweden in 1821	13
Figure 2.2	Distinct Sapwood and Heartwood of <i>Acacia mangium</i>	17
Figure 2.3	Average Chemical Composition of Wood (Hardwood)	20
Figure 2.4	Structure of Cellulose	21
Figure 2.5	IR spectra in the different stages of chemical treatment using solvent extraction to isolate alpha cellulose of Scot pine (<i>Pinus sylvestris</i> L.). a, untreated whole wood sample; b, the sample after solvent extraction; c, after acidified NaClO ₂ step; d, after NaOH step. Labelled bands: 1. hemicellulose; 2. resin; 3. linked water; 4. Liguin ; 5. lignin	24
Figure 3.1	ZQS ₁ -C model Thermal Pulp Cooker (Digester)	32
Figure 3.2	ZQS ₂ model Liters Refiner (Beater)	32
Figure 3.3	ZQS ₅ model Screener	33
Figure 3.4	ZQJ ₁ – B model Manual Sheet maker	34
Figure 3.5	DC-SLY model Tear Tester	34
Figure 3.6	DC-NPY model Bursting Tester (Mullen Tester)	35
Figure 3.7	DC-KZ100C model Tensile Tester	36
Figure 3.8	DC-MIT 135B Folding Tester	36
Figure 3.9	Fourier Transform Infrared Spectra (FTIR) used for analysis the alpha cellulose	37
Figure 3.10	Location map of Ganui, SFI, Sabah	39

Figure 3.11	Selection of billets	39
Figure 3.12	Micro Grinder	40
Figure 3.13	Air Tight Container	41
Figure 3.14	Wood Chips of <i>Acacia mangium</i>	42
Figure 3.15	Silo	43
Figure 3.16	Estimation of yield percentage	44
Figure 3.17	Oil Bath	46
Figure 3.18	D-78532 model Centrifuge used for centrifuging the solution medium during alpha cellulose extraction	47
Figure 3.19	Schematic representations of pulping and paper making step	50
Figure 3.20	Method for Extraction of Alpha Cellulose	51
Figure 4.1	Comparison of Age with Alpha Cellulose Content obtained in different Ages	56
Figure 4.2	IR Spectra Graph of Standard Alpha Cellulose using FTIR	57
Figure 4.3	Comparative graph for standard Alpha Cellulose with different age (5, 7 and 9) years of <i>A. mangium</i> samples	58
Figure 4.4	IR Spectra for Alpha Cellulose from different age (5, 7 and 9 years) <i>A. mangium</i> Sample	59
Figure 4.5	Graph of Alpha cellulose with Age	66
Figure 4.6	Graph of Pulp yield with Age	70
Figure 4.7	Graph of Burst Index with Age	74
Figure 4.8	Graph of Foldness with Age	77
Figure 4.9	Graph of Tear with Age	80
Figure 4.10	Graph of Tensile with Age	83

LIST OF TABLES

Table 1.1	Paper Factories of Malaysia	3
Table 1.2	Rate of Increment of Pulp and Paper	4
Table 1.3	Demand of Pulp and Paper in World ('000 Tons)	5
Table 1.4	Demands for Paper and Paper Products in ASEAN Countries	6
Table 1.5	World Population (Millions)	6
Table 1.6	World Pulp Productions (Million Ton)	7
Table 2.1	Typical Grammage Values	26
Table 2.2	Typical Bursting Strength Values	27
Table 2.3	Typical Tear Resistance Values	29
Table 2.4	Typical Tensile Index Values	29
Table 3.1	Diameter Measurement of the trees in cm	41
Table 4.1	pH Content in Soil	52
Table 4.2	Water Content in the Soil	53
Table 4.3	Organic Compounds in the Soil	54
Table 4.4	Mean Alpha Cellulose content for 5 years old tree	54
Table 4.5	Mean Alpha Cellulose content for 7 years old tree	55
Table 4.6	Mean Alpha Cellulose content for 9 years old tree	55
Table 4.7	Pulp Yield	60
Table 4.8	Burst Index	61
Table 4.9	Tensile	61
Table 4.10	Folding Endurance	62
Table 4.11	Tearing	62
Table 4.12	Standard Deviation for Alpha cellulose	64
Table 4.13	Analysis of Variance for Alpha cellulose	65

Table 4.14	Means for Alpha cellulose by Age	65
Table 4.15	Standard Deviation for Pulp yield	67
Table 4.16	Analysis of Variance for Pulp yield	68
Table 4.17	Means for Pulp Yield by Age	69
Table 4.18	Least square Mean table for Burst	71
Table 4.19	Analysis of Variance for Burst	72
Table 4.20	Means for Burst by Age	73
Table 4.21	Least square Mean table for Foldness	75
Table 4.22	Analysis of Variance for Foldness	76
Table 4.23	Means for Foldness by Age	76
Table 4.24	Least square Mean table for Tear	78
Table 4.25	Analysis of Variance for Tear	79
Table 4.26	Means for Tear by Age	79
Table 4.27	Least square Mean table for Tensile	81
Table 4.28	Analysis of Variance for Tensile	82
Table 4.29	Means for Tensile by Age	82

ABBREVIATION

ASEAN	Association of Southeast Asian Nations
$C_6H_{10}O_5$	Cellulose
CD	Cross direction
FAO	Food and Agriculture Organization
FTIR	Fourier Transform Infrared Spectra
GSM	Grams per square meter
H_2SO_3	Sulphurous acid
HSO_3	Bisulphite ions
ISO	International Organization for Standardization
KCl	Potassium chloride
LSD	least significant difference
MAI	Mean Annual Increment
MC	Moisture content
Max	Maximum
Min	Minimum
MPPMA	Malaysia Pulp and Paper Manufacturers Association
MTC	Malaysian Timber Council
Na_2S	Sodium Sulfide
NaOH	Sodium Hydroxide
RM	Ringgit Malaysia
SCAN	Scandinavian pulp, paper and board testing committee

Sdn. Bhd.	Sendirian Berhad (Company Limited)
SFI	Sabah Forest Industry
SR	Schopper-Riegler
TAPPI	Technical Association of the Pulp and Paper Industry



UMS
UNIVERSITI MALAYSIA SABAH

SYMBOLS

%	Percentage
β	Beta
mL	milliliter
rpm	revolution per minute
m/min	meter per minute
gsm	Gram square meter
N/m ²	Newton per meter square
um	Micro meter
sq.ft.	square feet
lb	pound
kN/m.	Kilo Newton per meter
V	volume
mm	millimeter
mm ³	millimeter cube
m	meter
mg	milligram
m ²	meter square
cm	centimeter
°C	Degree Celsius
kg	kilogram
ha	hectare
N	Newton
mPa	milipascal
kPa	kilopascal

mN	milinewton
°SR	Schopper-Riegle degree



UMS
UNIVERSITI MALAYSIA SABAH

CHAPTER 1

INTRODUCTION

In today's world, paper plays a vital role in our daily life. Paper allows the expression of ideas and thoughts, and it also facilitates communication. The usage of paper is expected to increase with the increasing world population. In 1950, the world population was recorded as 2.5 billions and is expected to reach 9.9 billions by the 2050. According to the statistics (Rymsza, 1999), the world production of pulp and paper in the year of 1961 is recorded as 61,862 million metric ton and this value has increased to 102,840 million ton metric in 1970. In 1980 and 1990, there was an increase of 128,310 million ton metric to 165,873 million ton metric respectively. In 1997, the world pulp and paper production was recorded as 178,550 million ton metric (Rymsza, 1999)

In the context of Malaysia, the paper and paper board industry played an important role in its steady economic growth and development (Kevin, 1994). The country has a total capacity of slightly over 1 million tonnes of paper per annum, with self-sufficiency in the supply of paper and paper board growing at a slow rate. It is predicted that the demand for the paper in the region will grow with an annual average of 6 - 10 % (MTC, 2004). According to the records, Malaysia has 61% area covered with forest and 16% of the total area is under plantation (MTC, 2003) even though it could satisfy the local demands. According to MPPMA, Malaysia imported 1,189,120 metric tonnes of all types of paper and paper products worth RM2.7 billion in 2000 as compared to 1,353,515 metric tonnes valued at RM2.4 billion in 1999. In 2000 the country recorded a 50% self-sufficiency rate in contrast to 43% in 1999, and is striving to achieve the objective of being self-sufficient by the year 2005.

The pulp industry is facing the ever-increasing demands of quality paper and paperboard that is causing search for new and hitherto unexploited sources of cellulosic fibers (Jahan *et al.*, 2005). The awareness of forest conservation has increased in recent years which had led to the decrease in supply of the wood from the natural forest to the industries and this also made the raw materials expensive. To meet the demand of wood, Malaysia is setting up more plantations specially the *Acacia mangium* plantations. Acacias have good biomass production potential and the wood is generally considered to be a good fuel with a high calorific value. Considerable work has been undertaken in recent years to explore this potential in overseas countries, to address pressing issues of fuel shortages, land degradation and pulp production.

This study aim on investigating the suitability of using young *A. mangium* trees for the pulp and paper industry in Malaysia. The outcomes of the study will be rely and pass on to the plantation managers (especially for the chips). If the study can prove that the early age trees can produce good paper with respect to the 9 year age trees it can help to cut down the rotation period of trees and also can help to supply the raw materials to the paper industry continuously with out any problem.

1.1. Distribution and Location of Paper Factory in Malaysia

Malaysia has about 19 paper manufacturing mills (Table 1.1) in operation of which 15 paper mills are the members of Malaysian Paper Manufacturers Association. There are no mills in Negeri Sembilan, Terengganu and Kelantan. The imported pulp or regular paper or mixed together with pulp from tropical hardwood are used by many of the companies. Sabah Forest Industry (SFI) is the only integrated pulp and paper

mill in the country which use wood fibers from various tropical wood species (Kevin, 1994).

Table 1.1: Paper Factories of Malaysia

State	Number of factories
Kedah	2
P.Pinang	3
Perak	2
Selangor	3
Melaka	1
Johor	2
Pahang	3
Sabah	1
Sarawak	2
Total	19

Source: MTC, 1999.
The total Production capacity is approximately 1 million tonnes

1.2. Present Status of Pulp and Paper in Malaysia

Total import of paper in Malaysia exceeds 6 million tonnes/year. The Government is very keen interest in sustainable forest management system with replanting and creating forest plantations. Malaysia imports 762,359 tonnes of paper products in 1998 which is worth of RM 1.72 billion. This shows decrement compared to 1997 which total up to 1.05 tonnes worth 1.97 million. This was due to the economic crisis in 1997. During this period Malaysia was not able to export the paper (MTC, 1999).

By 2013 countries in Asia pacific region is estimated to become the largest paper purchaser of the world. This region is estimated to produce 86 million tonnes of paper and paper products that is 30.2% of world production. Factors such as recovery of the economic crisis, increment of population, development in the living standards and development of packaging industry will make the region become the largest buyers (MTC, 1999).

1.3. Pulp and Paper Demand in Developing and Developed Countries

Demand rate for pulp and paper increased from year 1961 to 1991 (Table 1.2), so it is estimated that there will be an increment from year 1991 to 2010. Developing countries has more rate of increment compared with developed country, even though 80 – 90 % of world paper market is controlled by developed country. After 1991 both developing and developed countries showed a decrease in the rate of demand. This is because of economic crisis in 1997 and development in computer technology which decrease the paper usage. The rate of increment for the demand of pulp and paper for developing country is higher compared with developed country because developed country has enough economy and modern technology to do so.

Table 1.2: Rate of Increment of Pulp and Paper

	Year 1961 (Tonnes)	Rate of Increment (%)	Year 1991 (Tonnes)	Rate of Increment (%)	Year 2010 (Tonnes)
Developed Countries	70	3.5	194	2.3	310
Developing Countries	7	6.2	49	2.8	130
Total	77	3.7	243	5.1	440

Source: Malaysia Pulp and Paper Manufacturers Association, 1991.

1.4. Demand of Pulp and Paper in the World

According to Table 1.3, it is forecasted that the world demand for the pulp and paper will increase from year 1991 to 2010. In 1991 the total world demand of paper was 242,939,000 tons. In 1991 the Wood fiber and non wood fibers are respectively 153,939,000 and 14,725,000 tons. In 2010 the paper demand is estimated to reach 443 million ton. For the wood pulp there will be an increment of 257 million ton and for non wood fibers there will an increment of 26 million tons. This shows the rate of pulp and paper demand in the world is always increasing.

Table 1.3: Demand of Pulp and Paper in World ('000 Tons)

Countries	1991			2010		
	Total Paper Products	Wood Pulp	Non Fiber Wood	Total Paper Products	Wood Pulp	Non Fiber Wood
Africa	2,684	1,967	236	4,605	1,683	511
North/Middle America	92,389	73,266	474	155,204	112,983	1,288
South America	8,039	4,947	488	23,699	13,984	1,236
Asia	60,146	22,957	12,880	112,052	39,385	20,908
Europe	67,258	40,689	379	123,351	70,301	1,149
Oceanic	2,833	1,901	13	4,493	3,036	27
USSR	9,590	8,212	255	19,615	16,432	737
Total	242,939	153,939	14,725	443,019	257,804	25,856

Source: Malaysia Pulp and Paper Manufacturers Association, 1991